



NORTHWEST YACHTS



President

Make:	President	Hull Material:	Fiberglass
Length:	47 ft	Number of Engines:	2
Year:	2012	Fuel Type:	Diesel
Condition:	New	Number:	557585
Location:	FOB Factory, Taiwan		

Description

Sleeps 6 in 3 Staterooms!!!

For over 40 years, President Yachts has been producing high quality yachts up to 150' under their own name and as an OEM supplier. Notable customers include Krogen, Hood Yachts (Whisperjet, Hood 66 Expedition), Marlow, Offshore and many others brands in the US, Europe and Asia.

President Yachts is home to 250 skilled craftsmen, engineers, designers and support staff. Their dedicated teamwork has produced over 1,100 yachts, exporting to markets all over the world. Even in a period of financial difficulty and extraordinary competition for most exporting boat builders, President has maintained continuous growth and quality improvement.

Northwest Yachts

Skyline Marina, 6060 Sands Way, Suite F, Anacortes, WA 98221, USA
Toll-free: 866-492-3138 Tel: 360-299-0777 sales@northwestyachts.com
<http://www.yachtworld.com/nwyachts>

Today, yachts being built by President are recognized by yachtsmen worldwide as a high quality product at an affordable price. Utilizing resident naval architects, designers and engineers, as well as the services of internationally well-known designers and engineers, they are constantly advancing the quality, styling, performance and durability of each President and OEM built yacht product. They are industry leaders in the use of CAD (Computer Aided Design) and ISO 9001 quality control systems; all part of their daily goal of maintaining the highest standards for quality and innovation in the boating industry.

Measurements

LOA: 49 ft 8 in	Fuel Tanks Capacity: 450
LWL: 47 ft 1 in	gal
Beam: 14 ft 5 in	Fresh Water Tanks Capacity: 150
	gal

Propulsion

Number of Engines: 2
Engine Make: Cummins
Engine Model: QSB5.9

Engines

Total Power: 330

Hull and Deck

- CCP® gelcoat hull finished in white color
- CCP® 953WN099, white color gelcoat for deck and superstructure
- International® epoxy osmosis protect primer
- International® anti-fouling paint, red color
- Propeller tunnels for improved propulsive efficiency and reduced draft
- Stitched multi-axial reinforced single skin bottom for hull bottom
- Semi displacement hull with keel
- Vinyl ester resin for hull skin-coats
- Foam sandwich construction for hull topsides
- Corecell® PVC foam sandwich construction in vacuum bag

Exterior

- Fiberglass bow pulpit with S/S anchor roller

- Maxwell® VWC2200C, windlass dual directions
- S/S chock (2)
- S/S mooring cleat (2)
- Chain locker
- S/S frame hatch on fwd deck (1)
- S/S frame hatch on master cabin aft (2)
- Fiberglass bulwark doors and railing access
- Fiberglass window frame with tempered glasses
- Non-skid decks
- S/S flag pole socket
- Teak flag pole, length 24" and 48" each one
- S/S plow anchor, 45lbs
- Anchor chain, 3/8"HT, 150ft
- Main deck stainless steel railings with middle for forward deck
- Teak toe rail
- Stainless steel frame port lights
- Master stateroom to aft companionway with fiberglass hatch
- Coach roof hand rails
- Integrated swim platform with two lockers on the top
- Built-in S/S ladder swim ladder with fiberglass hatch cover
- transom door
- Transom shower

Flybridge

- Non-skid deck surface
- Molded instrument console w/complete instrumentation
- Ritchie® SS5000, compass
- Steering wheel, S/S
- Pilot seat
- Tinted venturi windshield with grab rail
- Fiberglass seats with vinyl cushions
- Fiberglass Hi-lo table (1)
- Fiberglass molded wet bar with sink and faucet

- S/S bimini top frame
- Fiberglass radar mast

Mechanical

- Wesmar T8E electric bow thruster
- Racor® fuel filter
- Low back pressure mufflers
- Hydraulic steering system
- Manual bilge pump (1)
- Electric bilge pump (3)
- Bronze thru-hull fitting
- Fiberglass holding tank
- Aqualoy® propeller shaft
- Hot and cold water pressure system with Headhunter® XRS-124, 24VDC water pump (1)
- S/S water tank with gauge
- Aluminum fuel tank with gauge
- Bronze strut (2)
- Morse® electronic engine control
- Sump tank w/pump (2)
- Shore water connection
- Mn-Bronze propeller, 4 blades

Electrical

- AGM 4D batteries (2) for ship service
- AGM 4D batteries (2) for engine start
- AGM 4D batteries (2) for bow thruster
- AGM 22NF battery (1) for generator
- Shore power inlet 125/50A (1)
- 50A, yellow vinyl jacketed shore power cable, 75 feet
- Shore TV/phone inlet at transom (1)
- Newmar® PT-70A, battery charger (1)
- Seaward® S1100, S/S water heater 11 US. gals

- Engine room blower (2)
- AC & DC circuit control breakers
- Navigation light (5)
- Stereo wiring with speakers (8)
- Air horn
- Bonding system with zinc anodes on transom
- Main lighting with dimmer switch (7)
- Rudder indicator (1)
- Northern lights® M773LW3, generator 9KW/120VAC/60HZ with sound shield
- Cruisair® self-contained, reverse-cycle air conditioners 12,000 Btu for master cabin, 7,000 Btu for forward cabin and 16,000 Btu for salon

Interior

- Teak or cherry wood veneer coverings in satin varnish
- Teak/holly cabin sole in main salon & galley
- Carpet in fwd & aft cabins
- Fiberglass floor in heads
- Drapes
- Mattress and bed cover

Salon

- Built in settee with hi-lo table
- Lower station with helm seat
- Starboard side door
- LCD TV lifter with electric and antenna cable wiring
- Access doors to forward and master staterooms
- Wine locker
- Glass/dish locker

Galley

- Kenyon® B4051, cook top, 120VAC
- Norcold® DE0061, refrigerator, 120VAC/12VDC
- Sharp® R820BK, microwave, 120VAC

- S/S sink with faucet
- Corian® counter top
- Drawers/cabinets

Master Stateroom and Head

- STATEROOM: Berth with storage or drawer under
- Hanging locker
- Drawers & lockers
- Vanity with chair
- 12VDC lighting
- Reading lights (2)
- 120VAC outlet
- Wiring for TV
- Access hatch to stern walkway
- HEAD: Teak/holly cabin sole
- Electric toilet
- Corian® counter top
- Sink with faucet
- 12VDC lighting
- 120VAC outlet
- Mirror
- Towel rack, paper holder
- Shower room with glass shower door

Forward Stateroom

- V berth with drawer or storage under
- Hanging locker
- S/S frame port holes (2)
- 12VDC lighting
- Reading lights (2)
- 120VAC outlet
- Mirror (1)
- Wiring for TV

Port Guest Stateroom

- Upper/lower berth with drawer or storage under lower berth
- Hanging locker
- S/S frame port holes (1)
- 12VDC lighting
- Reading lights (2)
- 120VAC outlet
- Mirror (1)

Forward Head

- Electric toilet
- Corian® counter top
- Sink and faucet with shower
- 12VDC lighting
- 120VAC GFI. outlet
- Port hole/mirror/paper holder
- Fiberglass floor with teak grate

Disclaimer

The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change, or withdrawal without notice.