



NORTHWEST YACHTS



President Motor Yacht with enclosed Flybridge

Make:	President	Hull Material:	Fiberglass
Model:	Motor Yacht with enclosed Flybridge	Number of Engines:	2
Length:	68 ft	Fuel Type:	Diesel
Year:	2013	Number:	557596
Condition:	New		
Location:	FOB Factory, Taiwan		

Description

For over 40 years, President Yachts has been producing high quality yachts up to 150' under their own name and as an OEM supplier. Notable customers include Krogen, Hood Yachts (Whisperjet, Hood 66 Expedition), Marlow, Offshore and many others brands in the US, Europe and Asia. President Yachts is home to 250 skilled craftsmen, engineers, designers and support staff. Their dedicated teamwork has produced over 1,100 yachts, exporting to markets all over the world. Even in a period of financial difficulty and extraordinary competition for most exporting boat builders, President has maintained continuous growth and quality improvement. Today, yachts being built by President are recognized by yachtsmen worldwide as a high quality product at an affordable price. Utilizing resident naval architects, designers and engineers, as well as the services of internationally well-known designers and engineers, they are constantly

Northwest Yachts

Skyline Marina, 6060 Sands Way, Suite F, Anacortes, WA 98221, USA
Toll-free: 866-492-3138 Tel: 360-299-0777 sales@northwestyachts.com
<http://www.yachtworld.com/nwyachts>

advancing the quality, styling, performance and durability of each President and OEM built yacht product. They are industry leaders in the use of CAD (Computer Aided Design) and ISO 9001 quality control systems; all part of their daily goal of maintaining the highest standards for quality and innovation in the boating industry.

Measurements

LOA: 69 ft 9 in	Fuel Tanks Capacity: 1400 gal
LWL: 67 ft 9 in	Fresh Water Tanks Capacity: 300 gal
Beam: 19 ft	

Propulsion

Number of Engines: 2
Engine Make: Caterpillar
Engine Model: C-12 Acert

Engines

Total Power: 705

Hull and Superstructure

- CCP® 953WN099, pure white color gelcoat
- Non-skid, pure white color gelcoat
- All fibreglasses throughout the boat laid up by hand
- Modified V hull bottom with keel
- Stitched multi-axial reinforced single skin hull bottom
- Vinyl ester resin for hull skin-coats
- Solid bottom and foam sandwich construction for hull topsides
- Corecell® PVC foam sandwich construction in vacuum bag
- Transverse and longitudinal stringers glassed in the hull bottom
- The hull and deck are bolted and lamination with fiberglass together
- International® epoxy osmosis protect primer
- International® anti-fouling paint, black color
- Hull boot stripe, black color

Electrical

- Northern Lights generator, 25kw, and 20kw, 120/240vac, 60hz with sound shield and exhaust/water separator
- Par® engine room blower 24VDC (2)
- Engine room blower, 120VAC (2)
- Seaward® HF2200 S/S water heater with heat exchanger (1)
- AC and DC circuit control breakers
- Navigation light (5)
- Buell®, 15" & 18" air horn
- AGM battery 12V/225AH, (4) for service
- AGM battery 12V/225AH, (4) for engines
- AGM battery 12V/183AH, (2) for generator and electronics
- Automatic bilge pump 24VDC (5) with automatic float switches, indicating lights and high bilge water alarm system
- Bonding system with zinc anodes (2) on transom
- Glendenning® cable master with 90ft, 50A cored (2) with remote controls
- Charles® 93-IXFMR12I-A, isolation transformer (2)
- Newmar® PT-24-40, battery charger, 240V/24VDC/40A
- Newmar® PT-40, battery charger 120VAC/12VDC/40A
- Intercom (4) for crew quarter, E/R, P/H and master stateroom
- Color-coded wiring system
- On/off switch for engines and generators
- Emergency parallel switch for engines
- Emergency parallel switch for generators
- Wipers with windows washer system (3)
- Dimmer switches for some of main lighting
- TV/Tel shore connector (1) on stern
- Vimar® outlets and switches
- Cantalupi® interior and exterior lighting
- Jabsco® flood lights (2)
- Jabsco® 255SL, search light (1)

Mechanical & Running Gear

- Racor® 75/1000MAX, dual fuel filter (2) for engines
- Racor® 75/500MAX, dual fuel filter (2) for generator

- Under water exhaust system with idle by pass mufflers
- Power assisted steering system with two PTO pump
- S/S emergency tiller (1)
- Seawater strainer
- Manual bilge pump (1)
- Bronze thru-hull fitting
- Fresh water pressure system with Headhunter® Mach5, 120VAC pump (1),
- Headhunter® XR124, 24VDC pump (1)
- Deck washdown sea water system with Headhunter® XRS, 124 pump (1)
- Headhunter® WTS-1500B, waste tank sentry with high alarm and auto discharge
- Headhunter® tank sentry system for fuel and water tanks
- S/S 316 water tank
- Aluminum fuel tanks, paint with anti-rusting paint
- Bronze or S/S V strut
- Shore water connection
- Bilge water level detectors (3)
- Blower for each shower room
- Sealand® macerator pump (2)
- Bennett® trim tab with indicator
- Fiberglass holding tank 70 US. gals
- Pe-Al-Pe pipe for fresh water system
- Fireboy® MA2-1500, auto extinguisher system
- Tides® shafts seal plumbing from both engines
- Reverso® oil change system for main engines, generators, and gears
- Morse® electric engine controls
- VDO® rudder indicators on wheelhouse and aft deck control station
- Electro guard® HD-SB, propeller shaft grounding wiper brush system
- Portable fire extinguishers (6)
- Twin Caterpillar C-12 Engines, C-12 Acert, rating 705HP
- ZF 325A marine reduction gear, ratio 2.417:1
- Aqualoy 22HS, propeller shaft
- 4 blade props, NiBral
- Wesmar RS 700 stabilizers system

- Wesmar 40HP bow thruster
- Wesmar 40HP stern thruster

Enclosed Flybridge

- Upper Portuguese deck
- Sliding side doors
- Front windows 3 pieces with clear glass
- Fiberglass mast with 24VDC light
- Instrument console with complete instrumentation
- S/S or wooden steering wheel
- Danforth® compass (1)
- Stidd® pilot chair (1)
- L shaped seats with vinyl cushions, storage beneath and table (1)
- Teak or cherry flooring
- 120VAC outlet (3)
- Wet bar and U-line® CO2175FF/B refrigerator with ice maker
- 36" LCD TV with S/S lifter and DVD player
- Pioneer® FM/AM/CD player (1) with speaker (2) in pilothouse, speaker (2) for boat deck and speaker (2) for aft deck

Boat Deck

- Flag pole socket
- Teak flag pole 6ft length (1)
- Courtesy light (2)
- S/S 316 stanchion 1-1/2" diameter
- Ready for BBQ unit with storage
- S/S frame hatch down to cockpit
- Reinforcement and wiring for davit and dealer installed davit
- Pioneer® marine speaker (2)
- S/S frame hatch (1) and S/S ladder up to top of canopy

Forward Deck

- Bow pulpit with stainless steel anchor roller

- Non skid deck surface
- Heavy duty rub rail
- S/S mooring cleat (2)
- S/S hawse pipe with roller (2)
- Chain locker with fiberglass hatch (2)
- S/S frame hatch (2)
- Fresh and raw water wash down faucet (1)
- Flag pole socket
- Teak flag pole 2ft length (1)
- Courtesy light (4)
- Maxwell® 4000VWC, reversible electric windlass 24VDC with chain stopper
- Polished S/S plow anchor 80 Lbs (1)
- Anchor chain 3/8" HT x 200'
- Fore and aft deck railing, oval pipe on top
- Seat with cushion (2)
- S/S anchor protector

Portuguese & Side Deck

- Portuguese deck with access doors to forward deck
- Cabinet storages
- Non skid deck surface
- Courtesy light (4)
- S/S hawse pipe with cleat (4)

Aft Deck

- S/S corner hawse pipe with cleat (2)
- Fresh and raw water wash down faucet (1)
- Wet bar
- 120VAC outlet (1)
- Courtesy light (4)
- Aft deck control station with fiberglass cover, control station including engine and bow/stern thruster controls, rudder indicator
- Non skid treads from aft deck to boat deck

- Teak on aft deck
- S/S railing on top of coaming, oval pipe top
- Bench seating with storage under
- Teak table
- Pioneer® marine speaker (2)

Swim Platform

- S/S swim ladder with fiberglass hatch (1)
- Transom shower hot & cold water
- Transom door (1)
- U-rail polished stainless steel 2" diameter. Center section to be hinged out for access to swim ladder
- Rub rail with S/S back
- 10" Cleat (2) one on each side of platform
- Teak on top of swim platform
- Pantograph door to crew quarter

Interior Finishes

- Teak or cherry wall covering
- FRP wall and ceiling in shower rooms
- Mattress with standard fabric
- Curtains
- Satin interior varnishing
- Vinyl headliner interior ceiling except the ceiling of heads and shower rooms
- All wardrobes have lights and be well finished (cedar lined)
- Teak or cherry floors in galley, dinette, skylounge, foyer, salon and staterooms

Dining

- Settee with table (1)
- Teak or cherry floor
- 120VAC or 24VDC lighting
- 120VAC outlet (2)
- Pantograph doors each side

Galley

- Subzero® 700BR, under counter drawer type refrigerator, 120VAC/60HZ
- Subzero® 700BF, under counter drawer type freezer, 120VAC/60HZ
- Kenyon® B40508, cooktop 3 burner, black 120VAC/60HZ
- KitchenAid® KCMS1555SSS, microwave, 120VAC/60HZ
- Insinkerator® garbage disposal, 120VAC/60HZ
- Miele® DA3160, built-in ventilation hood
- Stainless steel sink
- Single lever kitchen faucet
- Teak or cherry floor
- Granite counter top
- 120VAC or 24VDC lighting
- 120VAC outlet (1)
- Dish cabinet
- Overhead cabinets

Salon

- 120VAC or 24VDC lighting
- Port side fabric covered settee with table (1)
- Arm chairs (2) and table (1)
- S/S frame salon access door
- Sub zero® 315W, wine storage
- Aft port corner art display cabinet
- Bose® lifestyle 28III, DVD system
- 42" TV and S/S lifter in salon

Day Head

- Mirror (1)
- Sealand® vacuum toilet
- Teak or cherry flooring
- 120VAC or 24VDC lighting
- 120VAC outlet (1)

- Granite counter top
- Basin with faucet

VIP Stateroom

- Berth with storage or drawers under
- Hanging locker (2)
- S/S frame opening hatches (2)
- Oceanair® SS-24" x 24"-R1-W sky screen (2)
- 120VAC or 24VDC lighting
- 120VAC outlet (2)
- Drawers
- Mirror (1)
- 19" LCD TV and DVD set

Forward Head

- Medicine cabinet with mirror (1)
- Sealand® vacuum toilet
- Teak or cherry head flooring
- Non skid shower room flooring
- S/S frame opening portlight (1)
- 120VAC or 24VDC lighting
- 120VAC outlet (1)
- Granite counter top
- Basin with faucet
- Stall shower room with seamless glass door shower door

Foyer

- Teak or cherry floor
- 120VAC or 24VDC lighting
- Art niche beside staircase

Port Stateroom

- Upper and lower berth with drawer or storage under lower berth

- Hanging locker (1)
- S/S frame opening portlight (1)
- 120VAC or 24VDC lighting
- 120VAC outlet (1)
- Table with drawers under
- 19" LCD TV and DVD set
- Bosch® WFR2460UC washer, 240VAC
- Bosch® WTA4410US dryer, 240VAC

Master Stateroom & Head

- Walk around berth with storage under
- Hanging locker
- S/S frame portlight (3)
- 120VAC or 24VDC lighting
- 120VAC outlet (3)
- Drawers
- Mirror (1)
- 26" LCD TV with DVD set
- Master Head --
- Medicine cabinet with mirror
- Sealand® vacuum toilet
- Teak or cherry flooring
- Non skid shower room flooring
- S/S frame portlight (2)
- 120VAC or 24VDC lighting
- 120VAC outlet (1)
- Granite counter top
- Sinks with faucets
- Stall shower with glass shower door

Crew Quarter & Head

- S/S frame watertight door to engine room
- Upper and lower berth

- hanging locker
- Teak or cherry floor
- Drawers or storage under lower berth
- 19" LCD TV and DVD set
- Pioneer® FM/AM/CD player with speaker (2)
- S/S frame opening porthole (2)
- Head --
- Medicine cabinet with mirror
- Sealand® vacuum toilet
- Non skid flooring
- 120VAC or 24VDC lighting
- 120VAC outlet (1)
- Corian counter top
- Basin with faucet

Engine Room

- Engine exhaust riser with S/S cover insulation
- S/S shelf above each engine
- 120VAC fluorescent lighting and 24VDC dome light
- Fiberglass non-skid floor
- S/S engines beds and insulation isolation mounts

Optional

- Beam® central vacuum system with 3 outlets, salon, cabins, and skylounge
- Sea Recovery® SRC AQMC 900-2, water maker with remote control
- Simrad ® AP28 autopilot system
- Hamamm® super mini, waste treatment system 24VDC
- Teak top coaming with glossing finish
- Upgrade alternator to 140 Amp (2) to charge ship service
- Maxwell® VC-1500 electric capstan, port and starboard side of aft deck
- Broan® 1050, trash compactor, 120VAC/60HZ
- Fisher & Paykei® DS603HSS, dishwasher, 120VAC/60HZ
- Secondary Stidd® pilot chair (1)

Disclaimer

The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change, or withdrawal without notice.