




## Addendum A – Specifications – March, 2022

### Northwest 63 Semi-Displacement Hull Three Stateroom

Designer: Stephen R. Seaton



Northwest Yachts are designed to put *you* in charge of your journey.

The NW63 is a state-of-the-art vessel, engineered to thrive in the demanding environment of oceans worldwide. Utilizing the latest in construction technology and incorporating an extensive list of high-grade standard features, these modern trawler-style yachts readily deliver a self-sufficient and comfortable cruising lifestyle.

If you're ready to alter course and find some adventure, please feel free to email or call us for more information.

### Basic Particulars

#### Dimensions

LOA.....	63' 0" (19.20 M)
LWL.....	59' 2" (18.03 M)
Navigation beam.....	19' 11" (6.07 M)
Draft .....	4' 11" (1.50 M)
Bridge clearance (antennas down) .....	26' 8" (8.13 M)
Displacement (full load) .....	107,740 lbs. (48.87 MT)

**Propulsion and Performance (twin engines):**

Make and Model: John Deere 6135SFM85  
Horsepower: 750hp each (total 1,500 hp)  
Cruise Speed: 7 - 14 knots  
Est. Max Speed (WOT): 18 knots  
Est. Max Range: 1600 nm\* @ 8.5 knots passagemaking speed

**Tankage:**

Diesel Fuel: 1,800 US Gal (4,542.49 L)  
Freshwater: 450 US Gal (1,703.43 L)  
Black Water: 200 US Gal (757.08 L)  
Gray Water: 100 US Gal (378.54 L)

\*Range with 10% fuel reserve and genset(s) running

**Hull and Superstructure**

- Hull and deck of high strength-to-weight-ratio infused and vacuum bagged FRP composite
- Medium gray color SoftSand® for non-skid areas
- Highest-grade Cook™ white gelcoat hull and superstructure
- Top-grade Vinyl Ester resin in top three laminate layers for max moisture resistance and surface longevity
- Main laminate assembled using top-grade Isophthalic polyester resins
- With final interior coating of Vinyl Ester for improved moisture resistance
- International™ Interprotect® epoxy-based anti-osmosis bottom primer coating system
- International™ anti-fouling bottom paint, black color
- Transverse and longitudinal top-hat stiffeners formed and bonded to hull using high-density closed-cell foam and Vinyl Ester resin for improved bond strength and enhanced hull toughness and longevity
- Extreme attention paid to properly tapering out the flanges of bonded stringers to avoid stress concentration
- Hull-to-deck joint bonded with high-strength 3M™ 5200 structural polyurethane adhesive and bolted
- Main hull-to-deck joint additionally fiberglassed on inside of shell using Vinyl Ester for best bonding
- Extra laminate reinforcing layers from stem aft to water-tight collision partition placed aft of forward end of waterline to guard against loss of hull buoyancy in the event of a collision with flotsam at sea

### **Aft Cockpit, Side Deck, and Swim Step**

- Swim platform safety staple-type removable railings (5) in polished 316L stainless steel
- Portuguese bridge with access gate and step(s) to forward deck
- Extensive built-in cabinet storage on Portuguese Bridge and elsewhere on deck
- Courtesy lights on all stairs
- Side deck boarding door with S/S logo step-plate
- S/S horizontal hand railing on transom
- Transom shower hot & cold water faucets in molded recess with latching door
- Faucets for both fresh and sea water wash downs
- Transom door with S/S logo step-plate.
- Rub rail with S/S back plate
- 10" S/S Cleats (one each side of swim platform)
- Re-boarding ladder housed in integral platform recess
- Storage cabinet with S/S sink under hinged worktop
- Napoleon LEX built-in BBQ
- Port and starboard S/S hawse pipes (2)
- Mooring cleats (2)
- 120VAC outlet (1) with integral ground-fault interrupter (GFI)
- Courtesy lights (4)
- Wet locker
- All stainless steel above waterline to be 316L

### **Boat Deck, Flybridge, Portuguese Bridge, and Foredeck**

- Non-skid deck surface to match main deck
- Type 316 S/S safety stanchions and railings
- Polished S/S anchor roller and chute assembly
- Nautical Structures Euro Hydraulic Series 3–2000 davit crane
- S/S 316 safety stanchions and railings
- Fiberglass hardtop
- Fiberglass mast with 24VDC deck flood lighting
- Llebroc™ Tradewinds flybridge helm chairs (2)
- Instrument console with full array of instrumentation
- S/S steering wheel
- Magnetic compass 5" powerboat model (1)
- S/S frame venturi-type windshield with S/S grab rail
- Waterproof speakers (2)
- Intercom set (1)

- FRP bench seats with cushions and table
- 120VAC outlet (1)
- Courtesy lights (4)
- Portuguese bridge with access gate to foredeck

### **Engine Room and Lazarette**

- Twin John Deere 6135SFM85 (M5) – 750 hp each (total 1,500 hp)
- Twin Disc transmissions (2.5:1 reduction ratio)
- Seatorque Boss® Enclosed Shaft System (2)
- Northern Lights® M844W3, generator 16KW/120VAC/240VAC/60HZ with sound enclosure
- Trac® active fin, hydraulic stabilizers
- Trac® hydraulic bow thruster
- Cruiseair® remote direct-expansion air conditioning, with condensing units rack-mounted in engine room and cooling/air-handling units in staterooms, salon and pilothouse, electronic zone control and soft-starting to reduce starting loads, total capacity 60,000 BTU (5 tons)
- US Watermaker® “Clearwater”, 800 gpd watermaker system
- Engine exhaust hi-riser system with fitted insulation jackets
- Work bench with plumbed clean-up sink
- 120VAC fluorescent lighting and 24VDC dome lights
- Fiberglass floor panels overlaid with non-skid vinyl flooring
- S/S saddle-type engine beds fitted to molded and bonded FRP main engine stringers
- Purpose-selected, vibration- and sound-insulating engine isolation mounts
- Integral oil-confinement areas formed beneath engines to prevent accidental contamination of bilges
- S/S safety railing surrounding engines

### **Mechanical and Plumbing**

- Racor® 75/1000MAX, dual fuel filter for each engine (total 2)
- Racor® 75/500MAX, dual fuel filter for generator
- Kobelt® power-assisted steering system
- Seawater intake strainers (2), bronze with S/S basket strainers and clear acrylic caps
- High-capacity manual bilge pump (1)
- Bronze thru-hull fittings with flanged bases
- Bosch stacked washer/dryer
- Fresh water pressure system with Headhunter® Mach 5, 120VAC pump (1), Headhunter® XR124, 24VDC pump (1)
- Seawater deck washdown system with Headhunter® XRS 124, 24VDC pump (1)

- Headhunter® WTS-1500B, black tank sentry with high alarm and auto discharge
- Headhunter® tank sentry monitor system for gray, fuel and water tanks
- Shore-water connection with easy shut-off and pressure-limiting feature
- Blower vented to exterior for each shower space
- Sealand® macerator pumps (2)
- Pe-Al-Pe pipe for fresh water system
- Fireboy® MA2-1500, auto extinguisher system
- Reverso® oil change system for engines, generators, and transmissions
- ZF Electronic engine controls (2-station system)
- VDO® rudder indicators on wheelhouse and flybridge control station
- Electro guard® HD-SB, propeller shaft grounding wiper brush system
- Aqualoy® 22HS, rudder stocks
- 4-blade Nibral propellers
- ESI CFS-1000FR, fuel polishing system
- Garden hoses 75 feet (2)

## **Electrical Systems**

- Northern Lights® M844W3, generator 16KW/120VAC/240VAC/60HZ with sound enclosure
- Par® 35440-0010 engine room blower 24VDC (2)
- Engine room blower, 240VAC (2)
- Torid® SS, water heater with heat exchanger, 20 US gals (2)
- Blue Seas AC and DC circuit control breaker panels
- Dash-mounted “mimic” panel w/ red LED indicator lights
- Aqua Signal® Series 43 LED Navigation lights
- Buell®, Duplex air horn, solenoid and 24VDC compressor.
- Ship’s Service batteries - Lifeline AGM battery 12V/225AH (8)
- Engine Starting batteries - Lifeline AGM battery 8D series, one (1) per engine (total 2)
- Generator Starting battery - Lifeline AGM battery 4D series, one each (1)
- Automatic bilge pumps 24VDC five (5) each with automatic float switches, indicating lights and high bilge water alarm system
- Bonding system includes four (4) zinc anodes, two (2) in bottom recesses forward and outboard of shafts and two (2) on transom below the waterline.
- Glendinning® cable master with 90ft, 50A cable and remote control
- ACME® TF279266S isolation transformer
- Victron Quattro 24/5000/120 Inverter Charger
- Victron Phoenix 24V Charger
- Intercom (4) for flybridge, E/R, P/H and master stateroom

- All DC wiring stranded, tinned, with color coding to ABYC standards
- Emergency parallel switch for engines and house bank, make-before-break type with alternator diode protection
- Wipers with windows washer system for all forward-facing pilothouse windows
- Dimmer switches for all overhead lighting
- Vimar® outlets and switches
- Cantalupi® or equivalent interior and exterior lighting
- Jabsco® 45900-0001, flood lights (2)
- Jabsco® 60010-2024 255SL, search light (1)

### **Electronics and Entertainment Equipment**

- Owner specified, allowance in pricing

### **Pilothouse**

- Port and starboard side doors, Diamond Seaglaze or equivalent Dutch swinging doors
- Front windows bedded glass, clear (12mm thick)
- Instrument console with complete instrumentation
- Overhead electronics panel
- S/S with wood rim or fully wooden steering wheel
- Compass (1)
- Llebroc Tradewinds Series 2 Helm Chair w/ footrests (2)
- Settee with cushions, storage beneath and table (1)
- Teak, Cork or Oak flooring
- 120VAC outlet (3)

### **Pilothouse Day Head**

- Headhunter fresh water flush toilet
- Exhaust Fan (TBD)
- Teak, Cork or Oak flooring
- Corian® or granite counter top
- Corian or appropriate for granite Sinks with Grohe faucets

### **Galley**

- GE Monogram ZCGS150RSS Trash Compactor
- GE Monogram ZIC30GNHII Refrigerator
- GE Monogram ZGP304NRSS Gas Range

- GE Monogram ZSA120XJSS Over-the-Range Microwave/Vent
- GE Monogram ZBD1800N 18" Dishwasher
- Insinkerator® Evolution Excel, garbage disposal under sink
- Franke GNX11028 Stainless steel sink (or equivalent)
- Grohe Ladylux Café Single lever kitchen faucet
- Xintex propane control system with gas detection alarm
- Side window over sink, Diamond Seaglaze or equivalent opening
- Teak, Cork or Oak floor
- Select granite counter top with backsplash
- 120VAC and 24VDC lighting
- 120VAC outlet (3)
- Lower and overhead cabinets of cherry, teak, or mahogany

### **Saloon**

- 120VAC or 24VDC lighting
- Allowance for interior décor
- Carpeted flooring with sound insulating pad under
- Entertainment cabinet
- Side access door, Diamond Seaglaze Series or equivalent sliding
- Aft access door, Diamond Seaglaze Series or equivalent swinging Dutch door
- Side windows of bedded glass (12mm)
- Aft windows- Diamond Seaglaze Series or equivalent opening

### **Master Stateroom**

- Portlights (4)
- Berth with storage under
- Carpeted flooring with sound insulating pad under
- Night table (2)
- Hanging locker (2)
- Built-in seat
- 120VAC or 24VDC lighting, 120VAC outlet (3)
- Drawers

**Master Head**

- Portlight (1)
- Medicine cabinet with mirror
- Headhunter fresh water flush toilet
- Exhaust Fan 24VDC
- Teak, Cork or Oak flooring
- Non skid shower room flooring
- 120VAC or 24VDC lighting
- 120VAC outlet (1)
- Corian® or granite counter top
- Corian or appropriate Sinks with Grohe faucets
- Stall shower with frameless glass shower door, Grohe shower fixtures
- Grohe towel racks and toilet paper holder

**VIP Stateroom -**

- Portlights (2) vertically mounted
- Berth with storage under
- Carpeted flooring with sound insulating pad under
- Hanging locker
- 120VAC or 24VDC lighting
- 120VAC outlet (3)
- Drawers

**VIP/Guest Head**

- Portlight (1)
- Medicine cabinet with mirror
- Headhunter fresh water toilet
- Exhaust Fan 24VDC
- Teak, Cork or Oak flooring
- Non skid shower room flooring
- 120VAC or 24VDC lighting
- 120VAC outlet (1)
- Corian® or granite counter top
- Corian or appropriate for granite Basin with faucet
- Stall shower with frameless glass shower door and Grohe fixtures
- Grohe towel racks and toilet paper holder



### **Guest Stateroom**

- Portlights (2) vertically mounted
- Upper and lower bunk berths
- Carpet flooring with sound insulating pad under
- Hanging locker (1)
- 120VAC or 24VDC lighting
- 120VAC outlet (1)
- Drawers
- Mirror (1)

### **General Interior Features**

- Cherry, walnut, mahogany or selected cloth wall covering (teak optional)
- Teak, Cork or Oak floors in galley, hallways and pilothouse,
- Carpeting with sound insulating pad in salon and staterooms
- Fiberglass walls and ceilings in shower rooms
- Latex rubber mattress with pillow-top fabric
- Curtains
- Satin interior varnish or polyurethane
- All wardrobes have lights and are cedar lined

— End of Specifications —

**All specifications are subject to change without notice prior to execution of a sales contract.**

Copyright © 2022 by Seattle Northwest Yachts LLC — All Rights Reserved

This information and all associated materials and their content may not be copied, duplicated, or otherwise distributed without prior written permission.