



Revised On: 10/01/2024

Northwest 52 Model Year: 2025

Specifications and Standard Equipment List

Length Overall

Hull Length

Beam

Draft

Displacement (Approx)

Fuel Capacity

Water Capacity

Holding Tank Capacity

Gray Water Capacity

Bridge Clearance

Hull and Superstructure

Hull and deck fiberglass construction

Hull color - gelcoat, white

Superstructure - gelcoat, white

Scuppers on aft, starboard side, foredeck to common drain lines

Watertight bulkheads (3)

Floors, decks and major bulkheads are composite construction and laminated to hull

Hull reinforced for stabilizers

Four (4) layers of vinyl ester resins used in construction to minimize chance of blisters

Epoxy barrier coat X3

Black anti-fouling paint

Painted boot stripe

Rub rails - integral to hull with solid stainless half round strakes (2)

Overhead LED deck lighting (24vdc) on exterior walk and outside pilothouse

Equipment manuals include wiring and piping diagrams

All opening portlights to be stainless with screens Manship or equivalent

Boat Deck, Flybridge, Portuguese Bridge, and Foredeck

Portuguese bridge includes storage locker and 110VAC GFI outlet

Flybridge area over pilothouse with steering and engine controls $% \left(1\right) =\left(1\right) \left(1\right) \left($

Deck rails of 1.5" stainless steel with 1" stanchions on boat deck and foredeck Deck rails of stainless steel with stanchions around Portuguese bridge

Steelhead Davit ES1100lb capacity

Dual chrome trumpet air horn

Aqua Signal series 45 International navigation lights

Molded anchor shelf for stainless steel frame and bow roller

Freshwater and seawater wash downs on foredeck

Opening deck hatch over forward stateroom berth

Maxwell RC2500 vertical windlass with up/down switch at bow and pilothouse

Anchor - Rocna 88 lb.

400' of 3/8" HT galvanized chain

Molded seat in center of Portuguese bridge with cushion

Aft Cockpit, Side Deck, and Swim Step

Large hinged lazarette hatch with gas shock

Transom and port side gates with hinge and latch assemblies

 $Aft\ cockpit\ cabinet\ with\ solid\ surface\ counter\ top,\ stainless\ sink,\ and\ extendable\ hot\ \&\ cold\ sprayer$

110 volt GFI duplex outlet

Sliding or swing style starboard side salon door Diamond Seaglaze (or equivalent)

Sliding or swing style aft salon door to cockpit of Diamond Seaglaze (or equivalent)

Mooring cleats on port & starboard side of transom bustle

Water fil

50 amp shore power receptacle in aft and fwd deck

Glendinning cable master system - 1X

52' 7"	16.03m
49'	14.94m
17' 02"	5.23m
4'-6"	1.3m
58,200 lbs dry	26,400 kg
1200 US gals	3785 L
300US gals	1,135 L
150 gals	567 L
55gals	208L
24'	7.32 m

STANDARD	OPTION
STD	

STD	
STD	

STD	
STD	

ngine Room and Lazarette		
(2) John Deere 6068 AFM75 (330hp ea) electronic engines with 24 V 140 amp alternator	STD	
ZF 360 transmissions 2.5:1 ratio	STD	
Northern Lights M844DW3G 16 kw/240/120V/60Hz generator with sound shield	STD	
Victron / Mastervolt 4000kw / 24vdc volt-120vac inverter charger	STD	
(8) AGM 8D batteries @ 255Ah ea for house batteries	STD	
(4) AGM Group 31 batteries for engine start	STD	
(1) AGM Group 27 batteries for generator start	STD	
Seafire / Fireboy Engine room fire suppression system	STD	
Drip pan under engine	STD	
Engine room exhaust fan	STD	
Engine room sound dampening of 3" on bulkheads, hull sides, and overhead	STD	
Perforated aluminum covering	STD	
Stainless steel safety rail around engine	STD	
24VDC overhead LED lighting with LED lighting under engines	STD	
Aqua lift style mufflers with bypass and underwater exhaust	STD	
Groco or similar thru-hulls and sea strainers	STD	
Lift muffler for generator	STD	
Stand up engine room between the engines	STD	
el System		
Fuel athwartships tanks constructed of flameproof FRP (600 gal per side)	STD	
Parker "Blue" fuel lines	STD	
Sight gauges for all tanks remotely mounted for ease of reading while doing engine room checks	STD	
Dual Racor 75/900 Fuel filter system with pressure gauge	STD	
Dual fills on starboard side	STD	
Tank vents located high above main deck	STD	
eshwater System		T
Two (2) water tanks of FRP, 150 gallons ea for a total of 300 gallons.	STD	
Hot water tank - 30 gallon capacity (220vac/120vac Duel element)	STD	
Deck fill and vents	STD	
Headhunter 10 gpm, 24vdc pressure fresh water system with accumulator tank Shoreside fresh water connection	STD STD	
umbing System	CTD	I
Black water tank - FRP (150 gal)	STD	
Gray water tank - FRP (55 gal)	STD	
Sanitary plumbing constructed of ABS Trident sanitary hose	STD	
Macerator pump/discharge pump with separate deck discharge fitting	310	
imate Control Systems (choice of) - one is standard		
Olympia OL60B-24 Heating System		OPT
Cruiseair 50000 btu split reverse cycle A/C system	STD	
ntrol Systems	CTD	1
Optimus steering system	STD	
Electronic engine and shift controls of ZF Mathers or equivalent	STD	
Wesmar bow thruster - 10 hp, 24VDC or equivalent	STD	
Wesmar stabilizers	STD	<u> </u>
echanical		
Bronze thru hull fittings with bronze seacocks	STD	
Bilge pumps - (3) of 2000 gph capacity Rule 2000 or equivalent	STD	
All hoses double clamped below waterline	STD	
atheres.		
	CTD	
Custom wood steering wheel - 30"	STD	
Custom wood steering wheel - 30" 3 x windshield wipers with washers (Exalto with Park Position)	STD	
Custom wood steering wheel - 30" 3 x windshield wipers with washers (Exalto with Park Position) AC/DC electrical panels on either side of steering station	STD STD	
Custom wood steering wheel - 30" 3 x windshield wipers with washers (Exalto with Park Position) AC/DC electrical panels on either side of steering station Overhead LED lights w/ red lights above dash w/ dimmer	STD STD STD	
Custom wood steering wheel - 30" 3 x windshield wipers with washers (Exalto with Park Position) AC/DC electrical panels on either side of steering station Overhead LED lights w/ red lights above dash w/ dimmer Overhead panel for electronics installation, wood faced	STD STD STD STD	
Custom wood steering wheel - 30" 3 x windshield wipers with washers (Exalto with Park Position) AC/DC electrical panels on either side of steering station Overhead LED lights w/ red lights above dash w/ dimmer Overhead panel for electronics installation, wood faced L-shaped settee with hi/low table that converts to berth	STD STD STD STD STD	
3 x windshield wipers with washers (Exalto with Park Position) AC/DC electrical panels on either side of steering station Overhead LED lights w/ red lights above dash w/ dimmer Overhead panel for electronics installation, wood faced L-shaped settee with hi/low table that converts to berth Cherry & Holly flooring	STD STD STD STD STD STD STD	
Custom wood steering wheel - 30" 3 x windshield wipers with washers (Exalto with Park Position) AC/DC electrical panels on either side of steering station Overhead LED lights w/ red lights above dash w/ dimmer Overhead panel for electronics installation, wood faced L-shaped settee with hi/low table that converts to berth	STD STD STD STD STD	

Deading lights habing catton	STD	
Reading lights behind settee (3) 110VAC duplex electrical outlets	STD	
12VDC convenience outlet with USB charging.	STD	
1x Pompanette Platinum Series custom upholstered helm chair with stainless steel pedestal	STD	
	STD	
Dash panel of black solid surface material with glare screen wrapped in black vinyl Port & starboard side deck access doors	STD	
POIL & Staliboard side deck access doors	310	
Galley		
Solid surface countertops with backsplash, Corian or equivalent	STD	
GE Profile Range (or equivalent)	STD	
GE Profile Over-the-Range Microwave (30") w/ exhaust fan	STD	
GE Profile Smart Induction Range w/4 Induction Zones and Convection Oven (30") GE	STD	
Bottom Freezer Refrigerator (30")	STD	
Trash compactor - Broan Elite, installed in the pantry - S/S or wood veneer facing	STD	
Stainless steel sink with large single basin	STD	
Grohe sink fixture with removable spray head	STD	
Pantry of hardwood, full height pull out - starboard fwd side of the salon	STD	
Drawers and overhead cabinets	STD	
Overhead cabinets between salon and galley	STD	
Large opening window with window treatment - located behind the salon settee	STD STD	
(3) 110VAC duplex outlets, GFI Y valve for overboard discharge of galley sink gray water	STD	
Cherry & Holly flooring	STD	
Cherry & Hony Hoothing	310	
Saloon		
Built-in L-shaped settee to port with storage under	STD	
Yacht table - hardwood with select veneers for top, Hi/Low	STD	
(4) 110VAC duplex electrical outlets	STD	
Entertainment cabinet	STD	
Samsung 40" LED TV on lift	STD	
Wall mounted sconce style lights of 24VDC	STD	
Saloon windows tinted with hardwood trim rings and rounded corners	STD	
Overhead valance with room to accommodate shades	STD	
Bamboo style drop shades	STD	
Owner supplied furniture for space on starboard side	STD	
Cherry & Holly flooring	STD	
Master Stateroom		
Queen sized berth with 8" spring mattress and drawer storage below	STD	
Portlights (3) port and starboard	STD	
Cedar lined hanging lockers with automatic lighting	STD	
Headboard with designer appointments including mirror and wood trim	STD	
(3) 110VAC duplex outlets	STD	
Flooring - Carpeting with pad under	STD	
Wall treatments with foam backing	STD	
(2) bulkhead mounted reading lamps	STD	
Built-in seat with storage under	STD	
Samsung 32" T.V	STD	
MarkerHand		
Master Head Puilt in coat with ctorage under	CTD	
Built-in seat with storage under	STD STD	
Portlight x3 FRP shower stall with saloon style glass doors	STD	
Grohe fixtures for sink and shower (removable wand type shower head)	STD	
Mirrors, (1) large mounted over toilet and (1) shaving mirror adjacent to sink	STD	
Exhaust fan – 24VDC	STD	
Toilet - TECMA	STD	
Towel and toilet paper holders	STD	
Flooring -Caesarstone Moorland Fog #6046	STD	
Mirrors, (1) large mounted over toilet and (1) shaving mirror adjacent to sink	STD	
110VAC duplex electrical outlet, GFI	STD	
Guest/Side Stateroom		
Stacked bunks	STD	
Samsung 26" T.V.	STD	
Closet storage	STD	

VIP Stateroom

STD	
STD	
	\$TD \$TD \$TD \$TD \$TD \$STD \$STD \$STD \$STD

VIP/Guest Head

Solid surface counter top of Corian or equivalent	STD	
Portlight	STD	
FRP shower stall with saloon style glass doors	STD	
Toilet - TECMA	STD	
110VAC duplex electrical outlet, GFI	STD	
Grohe fixtures for sink and shower (removable wand type shower head)	STD	
Exhaust fan, 110VAC	STD	
Cabinet below sink	STD	
Mirror	STD	
Towel and toilet paper holders	STD	
Flooring - Caesarstone MoorlandFog #6046	STD	
		<u> </u>

General I

eral Interior Features		
Hand selected hardwood and veneers / Walnut interior?	STD	
Soft wall coverings, foam backed	STD	
Hardwood raised panel interior passage doors with blended arched tops	STD	
Locking latches on interior cabinetry	STD	
Interior cabinetry drawers with side mount, full extension, ball bearing drawer guides	STD	
Interior cabinetry doors use fully adjustable Euro style hinges	STD	
Interior hand rails (stainless steel or hardwood) on stairways	STD	
Hand rails (hardwood) on overhead in saloon, overhead in pilothouse, overhead in master	STD	
Hand rails (hardwood) on either side of steering station integral to counter trim	STD	
Overhead lights-LED	STD	
Stacked Bosch washer/dryer or equivalent	STD	
All headliners of acoustic soft, foam backed vinyl in eggshell or white panels	STD	
All electrical switches and outlets are Vimar	STD	
Dimmer switches in salon, galley, pilothouse and master stateroom	STD	
Windows tinted (exception, 3 forward facing pilothouse windows)	STD	
Window treatments - designer blinds in saloon and galley	STD	
Storage areas with carpet lined bottoms and sides	STD	

Options (partial list)

Kevlar hul	upgrade
Cockpit he	lm station

Wesmar stern thruster (24 VDC)

Heated galley, guest & owners suite heads

1X ISO Boost transformer

2nd Cablemaster system 240V/50A

Searchlight system

Underwater lighting 5X

BBQ with cabinet

Salon & Pilothouse cherry wood flooring

Owners, Guest & VIP cherry wood flooring

Swim platform extension

GARMIN navigation system

STD	
STD	

STANDARD	OPTION
	OPT

Last Updated - October 1, 2024: These specifications are subject to change without notice at any time prior to the signing and acceptance of a construction/ purchase agreement. The builder may make changes during a build if such is necessitated by the unavailability of specified proprietary equipment due to changes by the manufacturer or problems in the supply chain. The builder is not obligated to incorporate such change in boats then under construction or previously built. Projected weights and performance are estimated and vary depending on the owners operation and options added.