



110 volt GFI duplex outlet  
 Sliding starboard side salon door of Diamond Seaglaze (or equivalent)  
 Sliding aft salon door to cockpit of Diamond Seaglaze (or equivalent)  
 Mooring cleat on port side of transom bustle  
 Water fill  
 50 amp shore power receptacle

STD	
STD	
STD	
STD	
STD	
STD	

**Engine Room and Lazarett**

(2) John Deere 6068 AFM75 (330hp ea) electronic engines with 24 V 140 amp alternator  
 ZF 360 transmissions 2.5:1 ratio  
 Northern Lights M844DW3G 16 kw/240/120V/60Hz generator with sound shield  
 Victron MultiPlus 24/3000VA 120v output inverter chargers  
 (8) AGM 8D batteries @ 255Ah ea for house batteries  
 (4) AGM Group 31 batteries for engine start  
 (2) AGM Group 27 batteries for generator start  
 Engine room fire suppression system  
 Drip pan under engine  
 Engine room exhaust fan  
 Engine room sound dampening of 3" on bulkheads, hull sides, and overhead  
 Perforated aluminum covering  
 Stainless steel safety rail around engine  
 24VDC overhead LED lighting  
 Aqua lift style mufflers with bypass and underwater exhaust  
 Sea chest manifold  
 Lift muffler for generator  
 Flooring pads in work areas

STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	

**Fuel System**

Fuel saddle tanks constructed of flameproof FRP with baffles and inspection plates (640 gal)  
 Parker "Blue" fuel lines  
 Sight gauges for all tanks remotely mounted for ease of reading while doing engine room checks  
 Dual Racor 75/900 Fuel filter system with pressure gauge  
 Dual fills on starboard side  
 Tank vents located high above main deck

STD	
STD	
STD	
STD	
STD	
STD	

**Freshwater System**

Two (2) water tanks of FRP, 150 gallons ea for a total of 300 gallons.  
 Hot water tank - 20 gallon capacity (110v and/or engine heated)  
 Deck fill and vents  
 Kitec plumbing hose with bronze fittings  
 Headhunter 10 gpm, 24vdc pressure fresh water system with accumulator tank  
 Shoreside fresh water connection

STD	
STD	
STD	
STD	
STD	
STD	

**Plumbing System**

Black water tank - FRP (130 gal)  
 Gray water tank - FRP (55 gal)  
 Sanitary plumbing constructed of ABS Trident sanitary hose  
 Macerator pump/discharge pump with separate deck discharge fitting

STD	
STD	
STD	
STD	

**Climate Control Systems (choice of)**

Olympia OL60B-24 Heating System  
 Cruiseair 50000 btu split reverse cycle A/C system

OPT	
OPT	

**Control Systems**

Hydraulic steering system Teleflex or equivalent  
 Electronic engine and shift controls of ZF Mathers or equivalent  
 Bow Thruster - ABT 10 hp, 24VDC or equivalent  
 ABT Stabilizers

STD	
STD	
STD	
STD	

**Mechanical**

Dump chest and bronze thru hull fittings with bronze seacocks  
 Bilge pumps - (3) of 2000 gph capacity Rule 2000 or equivalent  
 All hoses double clamped below waterline

STD	
STD	
STD	

**Pilothouse**

Custom wood steering wheel - 30"

STD	
-----	--



Flooring - Amtico or equivalent  
 Mirrors, (1) large mounted over toilet and (1) shaving mirror adjacent to sink  
 110VAC duplex electrical outlet, GFI

STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	

**VIP Stateroom**

Queen sized berth with 8" spring mattress and drawer storage below  
 Portlights (2) port side, (2) starboard side  
 Reading lamps (2), one at each berth  
 Cedar lined hanging lockers with automatic lighting  
 (3) 110VAC duplex electrical outlet  
 Side cabinets on either side of berth  
 Forward bulkhead with designer appointments including mirror and wood trim  
 Flooring - Carpeting with pad under  
 Over/under bunks or desk (optional)  
 Reading lamps (2), one at each berth  
 Cedar lined hanging lockers with automatic lighting  
 (3) 110VAC duplex electrical outlet  
 Flooring - Carpeting with pad under

**VIP Head**

Solid surface counter top of Corian or equivalent  
 Portlight  
 FRP shower stall with saloon style glass doors  
 Toilet - Headhunter or equivalent  
 110VAC duplex electrical outlet, GFI  
 Grohe fixtures for sink and shower (removable wand type shower head)  
 Exhaust fan, 110VAC  
 Cabinet below sink  
 Mirror  
 Towel and toilet paper holders  
 Flooring - Amtico or equivalent

STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	

**General Interior Features**

Hand selected hardwood and veneers  
 Soft wall coverings, foam backed  
 Hardwood raised panel interior passage doors with blended arched tops  
 Locking latches on interior cabinetry - push/pull positive Southco or equivalent  
 Interior cabinetry drawers with side mount, full extension, ball bearing drawer guides  
 Interior cabinetry doors use fully adjustable Euro style hinges  
 Cabinets to have pre-finished maple interiors for easy cleaning and furniture grade quality  
 Interior hand rails (stainless steel or hardwood) on stairways  
 Hand rails (hardwood) on overhead in saloon, overhead in pilothouse, overhead in master  
 Hand rails (hardwood) on either side of steering station integral to counter trim  
 Overhead lights-LED  
 Stacked Bosch washer/dryer or equivalent  
 All headliners of acoustic soft, foam backed vinyl in eggshell or white panels  
 All electrical switches and outlets are Vimar  
 Dimmer switches in salon, galley, pilothouse and master stateroom  
 Windows tinted (exception, 3 forward facing pilothouse windows)  
 Window treatments - designer blinds in saloon and galley  
 Storage areas with carpet lined bottoms and sides

STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	

**Options (partial list)**

Engine size upgrade  
 5 Blade propeller upgrade  
 Stern thruster (24 VDC)  
 Trac hydraulic bow and stern thruster  
 Maxwell hydraulic windlass  
 Chain counter  
 Glendinning cable master system  
 Seatorque Boss shaft system  
 Appliance upgrades  
 Kevlar layers in fwd section of hull (3)  
 Ceiling Mount Flip-down TV  
 ESI fuel polishing system  
 Searchlight

OPT	
OPT	
OPT	
OPT	
OPT	
OPT	
OPT	
OPT	
OPT	
OPT	
OPT	
OPT	
OPT	
OPT	
OPT	
OPT	
OPT	
OPT	
OPT	
OPT	
OPT	

**-- End of Specifications --**

**These preliminary specifications have been prepared to cover equipment and materials as accurately as possible.  
Specifications are continually under review and subject to change without notice.**

**-- All Rights Reserved --**

**This information and all associated materials and their content may not be copied, duplicated,  
distributed, or used without prior permission.**