



Northwest 55

Model Year: 2026

Revised On: 20-May-25

Specifications and Standard Equipment List

Length Overall
Hull Length
Beam
Draft

Displacement
Fuel Capacity
Water Capacity
Holding Tank Capacity
Gray water
Bridge Clearance

55' 7"	16.09m
52'	15.85m
17' 02"	5.23m
4'-6"	1.3m
61,800 lbs dry (Approx)	28,554 kg (Approx)
1200 US gals	4543 L
300US gals	1,135 L
150 gals	567 L
55gals	208L
25' - 9"	7.85 m

Hull and Superstructure

Hull and deck of vacuum bagged composite construction
Hull color - Ferro gelcoat, white
Superstructure - Ferro gelcoat, white
Kevlar reinforcement in fwd collision zone and 2 layers chine to chine
Scuppers on aft, starboard side, foredeck to common drain lines
Watertight bulkheads (3)
Floors, decks and major bulkheads are composite construction and laminated to hull
Hull reinforced for stabilizers
Four (4) layers of vinyl ester resins used in construction to minimize chance of blisters
Black anti-fouling paint
Painted boot stripe
Cap rails of composite material and finished in choice of colors
Rub rails - integral to hull with solid stainless half round strakes (2)
Overhead LED deck lighting (24vdc) on exterior walk and outside pilothouse
Exterior doors - Diamond Sea Glaze (or equivalent), white with matching locks
Equipment manuals include wiring and piping diagrams
All opening portlights to be stainless with screens Manship or equivalent
(5) Underwater Lights

STANDARD OPT

STANDARD	OPT
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	

Boat Deck, Flybridge, Portuguese Bridge, and Foredeck

Portuguese bridge includes storage locker and 110VAC GFI outlet
Flybridge area over pilothouse with steering, engine controls, and electronics
Molded flybridge FRP windshield w/ tempered glass
2 x Pompanette Helm Chairs
U Shaped settee with table
Deck rails of 1.5" stainless steel with 1" stanchions on boat deck and foredeck
Deck rails of stainless steel with stanchions around Portuguese bridge
Radar Arch - FRP with provisions for electronic antennas
Hardtop integrated int Radar Arch
Steelhead Davit ES1100lb capacity
Dual chrome trumpet air horn
Aqua Signal series 45 International navigation lights
Molded anchor shelf for stainless steel frame and bow roller (w/drain)
Freshwater and seawater wash downs on foredeck
Opening deck hatch over forward stateroom berth - Lewmar Ocean Series 60 or equivalent
Maxwell RC2500 vertical windlass with up/down switch at bow and pilothouse
Anchor - Rocna 88 lb.
400' of 3/8" HT galvanized chain

STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	

Molded seat in center of Portuguese bridge with cushion
S/S Flybridge Ladder w/ storage locker

STD	
STD	

Aft Cockpit, Side Deck, and Swim Step

Control station
Large hinged lazarette hatch with gas shock
Transom and side gate with hinge and latch assemblies
Swim Ladder
Aft cockpit cabinet with solid surface counter top, stainless sink, extendable hot & cold sprayer,
S/S BBQ Grill
110 volt GFI duplex outlet
Sliding starboard side salon door of Diamond Seaglaze (or equivalent)
Sliding aft salon door to cockpit of Diamond Seaglaze (or equivalent)
Mooring cleat on port side of transom bustle
Water fill
50 amp shore power receptacle in aft and fwd deck
Glendinning cable master system

STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	

Engine Room and Lazarette

(2) John Deere 6068 AFM75 (330hp ea) electronic engines with 24 V 140 amp alternator
ZF 360 transmissions 2.5:1 ratio
Northern Lights M844DW3G 16 kw/240/120V/60Hz generator with sound shield
Victron MultiPlus 24/4000VA 120v output inverter chargers
ANG Iso-Boost Transformer
ISO Transformer
(2) Glendinning Cable Master systems w/ 80' cables
(8) AGM 8D batteries @ 255Ah ea for house batteries
(4) AGM Group 31 batteries for engine start
(1) AGM Group 27 batteries for generator start
(4) AGM batteries for bow thruster
(4) AGM batteries for stern thruster
(2) battery chargers for bow and stern thruster battery banks
Seafire Engine room fire suppression system
Drip pan under engine
Engine room exhaust fan
Engine room sound dampening of 3" on bulkheads, hull sides, and overhead
Perforated aluminum covering
Stainless steel safety rail around engine
24VDC overhead LED lighting with LED lighting under engines
Aqua lift style mufflers with bypass and underwater exhaust
Sea chest manifold
Lift muffler for generator
Flooring pads in work areas

STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	

Fuel System

Fuel saddle tanks constructed of flameproof FRP with baffles and inspection plates (600 gal per side)
Parker "Blue" fuel lines
Sight gauges for all tanks remotely mounted for ease of reading while doing engine room checks
Dual Racor 75/900 Fuel filter system with pressure gauge
Dual fills on starboard side
Tank vents located high above main deck

STD	
STD	
STD	
STD	
STD	
STD	

Freshwater System

Two (2) water tanks of FRP, 150 gallons ea for a total of 300 gallons.
Hot water tank - 30 gallon capacity (220vac/120vac Dual element)
Deck fill and vents
Kitec plumbing hose with bronze fittings
Headhunter 10 gpm, 24vdc pressure fresh water system with accumulator tank
Shoreside fresh water connection

STD	
STD	
STD	
STD	
STD	
STD	

Plumbing System

Black water tank - FRP (150 gal)
Gray water tank - FRP (55 gal)
Sanitary plumbing constructed of ABS Trident sanitary hose
Macerator pump/discharge pump with separate deck discharge fitting

STD	
STD	
STD	
STD	

Climate Control Systems (choice of) - one is standard

Olympia OL60B-24 Heating System

Cruiseair 50000 btu split reverse cycle A/C system

OPT	
OPT	

Control Systems

Hydraulic steering system Teleflex or equivalent

Electronic engine and shift controls of ZF Mathers or equivalent

Bow Thruster - Wesmar 10 hp, 24VDC or equivalent

Stern Thruster - Wesmar 10hp, 24VDC or equivalent

Wesmar Stabilizers

STD	
STD	
STD	
STD	

Mechanical

Dump chest and bronze thru hull fittings with bronze seacocks

Bilge pumps - (3) of 2000 gph capacity Rule 2000 or equivalent

All hoses double clamped below waterline

STD	
STD	
STD	

Pilothouse

Garmin Navigation System

Searchlight

Custom wood steering wheel - 30"

3 x windshield wipers with washers (Exalto with Park Position)

AC/DC electrical panels on either side of steering station

Overhead LED lights w/ red lights above dash w/ dimmer

Overhead panel for electronics installation, wood faced

L-shaped settee with hi/low table that converts to berth

3 section electrical hi-lo table to lower to make bed

Remote start/stop switch for main engine and generator

Pilothouse windows to be tempered and/or safety glass with black fret border

Reading lights behind settee

(3) 110VAC duplex electrical outlets

12VDC convenience outlet with USB charging.

2 x Pompanette Platinum Series custom upholstered helm chairs with stainless steel pedestal

Dash panel of black solid surface material with glare screen wrapped in black vinyl

Flooring - Cherry and Holly

STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	

Galley

Solid surface countertops with backsplash, Caesarstone or equivalent

GE Profile Over-the-Range Microwave (30") w/ exhaust fan

GE Profile Smart Slide-In Induction Range w/4 Induction Zones and Convection Oven (30")

GE Bottom Freezer Refrigerator (30")

Trash compactor - Broan Elite w/ stainless face or wood matching cabinet veneers

Stainless steel sink with large single basin

Grohe sink fixture with removable spray head

Pantry of hardwood, full height pull out adjacent to refrigerator

Drawers and overhead cabinets

Overhead cabinets between salon and galley

Large opening window with window treatment

(3) 110VAC duplex outlets, GFI

Y valve for overboard discharge of galley sink gray water

Flooring - Cherry and Holly (Suntouch Heated)

STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	

Saloon

Built-in L-shaped settee to port with storage under

Yacht table - hardwood with select veneers for top, Hi/Low

(4) 110VAC duplex electrical outlets

Entertainment cabinet

Samsung 40" LED TV on lift

Wall mounted sconce style lights of 24VDC

Saloon windows tinted with hardwood trim rings and rounded corners

Overhead valance with room to accommodate shades

Bamboo style drop shades

Owner supplied furniture for space on starboard side

Cherry and Holly Flooring

STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	

Master Stateroom

Queen sized berth with 8" spring mattress and drawer storage below

STD	
-----	--

Portlights (3) port side with porthole in glass
 Cedar lined hanging lockers with automatic lighting
 Headboard with designer appointments including mirror and wood trim
 (3) 110VAC duplex outlets
 Flooring - Cherry and Holly
 Wall treatments with foam backing
 (2) bulkhead mounted reading lamps
 Built-in seat with storage under
 Samsung 32" T.V
 Fusion Stereo

STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	

Master Head

Built-in seat with storage under
 Portlight of glass with porthole in glass
 FRP shower stall with saloon style glass doors
 Grohe fixtures for sink and shower (removable wand type shower head)
 Mirrors, (1) large mounted over toilet and (1) shaving mirror adjacent to sink
 Exhaust fan – 24VDC
 Toilet - TECMA or equivalent
 Towel and toilet paper holders
 Flooring - Amtico or equivalent (Suntouch Heated)
 Mirrors, (1) large mounted over toilet and (1) shaving mirror adjacent to sink
 110VAC duplex electrical outlet, GFI

STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	

Guest/Side Stateroom

Stacked bunks
 Samsung 26" T.V.
 Fusion Stereo
 Closet storage

STD	
STD	
STD	
STD	
STD	

VIP Stateroom

Queen sized berth with 8" spring mattress and drawer storage below
 Portlights (2) port side, (2) starboard side
 Reading lamps (2), one at each berth
 Cedar lined hanging lockers with automatic lighting
 (3) 110VAC duplex electrical outlet
 Side cabinets on either side of berth
 Forward bulkhead with designer appointments including mirror and wood trim
 Flooring - Carpeting with pad under
 Over/under bunks or desk (optional)
 Reading lamps (2), one at each berth
 Cedar lined hanging lockers with automatic lighting
 (3) 110VAC duplex electrical outlet
 Flooring - Carpeting with pad under
 Samsung 26" T.V.
 Fusion Stereo

STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	

VIP/Guest Head

Solid surface counter top of Caesarstone or equivalent
 Portlight
 FRP shower stall with saloon style glass doors
 Toilet - TECMA or equivalent
 110VAC duplex electrical outlet, GFI
 Grohe fixtures for sink and shower (removable wand type shower head)
 Exhaust fan, 110VAC
 Cabinet below sink
 Mirror
 Towel and toilet paper holders
 Flooring - Amtico or equivalent (Suntouch Heated)

STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	

General Interior Features

Hand selected raised panel hardwood carpentry and veneers
 Soft wall coverings, foam backed
 Hardwood raised panel interior passage doors with blended arched tops
 Locking latches on interior cabinetry - push/pull positive Southco or equivalent Same as Regency
 Interior cabinetry drawers with side mount, full extension, ball bearing drawer guides

STD	
STD	
STD	
STD	
STD	

Interior cabinetry doors use fully adjustable Euro style hinges
 Cabinets to have pre-finished maple interiors for easy cleaning and furniture grade quality
 Interior hand rails (stainless steel or hardwood) on stairways
 Hand rails (hardwood) on overhead in saloon, overhead in pilothouse, overhead in master
 Hand rails (hardwood) on either side of steering station integral to counter trim
 Overhead lights-LED
 Stacked Bosch washer/dryer or equivalent
 All headliners of acoustic soft, foam backed vinyl in eggshell or white panels
 All electrical switches and outlets are Vimar
 Dimmer switches in salon, galley, pilothouse and master stateroom
 Windows tinted (exception, 3 forward facing pilothouse windows)
 Window treatments - designer blinds in saloon and galley
 Storage areas with carpet lined bottoms and sides

STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	

Options (partial list)

Engine size upgrade
 5 Blade propeller upgrade
 Trac hydraulic bow and stern thruster in lieu of Wesmar
 Maxwell hydraulic windlass
 Chain counter
 Seatorque Boss shaft system
 Appliance upgrades
 Ceiling Mount Flip-down TV
 Racor fuel polishing system

OPT	
OPT	
OPT	
OPT	
OPT	
OPT	
OPT	
OPT	
OPT	
OPT	

-- End of Specifications --

These preliminary specifications have been prepared to cover equipment and materials as accurately as possible.
 Specifications are continually under review and subject to change without notice.

-- All Rights Reserved --

This information and all associated materials and their content may not be copied, duplicated,
 distributed, or used without prior permission.