



Northwest 48 - Two Staterooms

Revised: 22-Apr-26

Model Year: 2027

Specifications and Standard Equipment List

- Length Overall
- Length at Waterline
- Beam
- Draft
- Displacement
- Fuel Capacity
- Water Capacity
- Holding Tank Capacity
- Gray water
- Bridge Clearance

Imperial	Metric
48.8	14.87
44.6	13.59
17.4	5.30
5	1.52
47000	21319
900	3407
300	1136
200	757
55	208
22.4	6.83

Hull and Superstructure

- Hull and deck of vacuum bagged composite construction
- Hull color - Ferro gelcoat, white
- Superstructure - Ferro gelcoat, white
- Scuppers on aft, starboard side, foredeck to common drain lines
- Watertight bulkheads (3)
- Floors, decks and major bulkheads of composite construction and laminated to hull
- Hull reinforced for stabilizers
- Four (4) layers of vinyl ester resins used to minimize chance of blisters
- Black anti-fouling paint x 2 / Epoxy barrier x 3
- Painted boot stripe
- Cap rails of composite material
- Rub rails - integral to hull with solid stainless half round strakes (2)
- Overhead LED deck lighting (24vdc) on exterior walk and outside pilothouse
- Exterior doors - Pantograph in Pilothouse, Diamond Seaglaze for Salon
- Equipment manuals include wiring and piping diagrams
- All opening portlights to be stainless with screens Manship or equivalent

STANDARD OPT

STANDARD	OPT
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	

Boat Deck, Flybridge, Portuguese Bridge, and Foredeck

- Portuguese bridge includes storage locker and 110VAC GFI outlet
- Flybridge area over pilothouse with steering and engine controls
- Deck rails of 1.5" stainless steel with 1" stanchions on boat deck and foredeck
- Deck rails of stainless steel with stanchions around Portuguese bridge
- Radar Arch - FRP with provisions for electronic antennas
- Steelhead Davit ES1000lb capacity

Dual chrome trumpet air horn
 Aqua Signal series 45 International navigation lights
 Molded anchor shelf for stainless steel frame and bow roller
 Freshwater wash down on foredeck
 Opening hatch over forward stateroom berth - Lewmar Ocean Series 60 or equal
 Maxwell RC2500 vertical windlass with up/down switch at bow and pilothouse
 Anchor - Rocna 88 lb.
 200' of 3/8" HT galvanized chain with 200' of 5/8" anchor rode
 Molded seat in center of Portuguese bridge with cushion

Aft Cockpit, Side Deck, and Swim Step

Hinged lazarette hatch with gas shock
 Transom and side gate with hinge and latch assemblies
 Aft cockpit cabinet with solid surface counter top, stainless sink
 110 volt GFI duplex outlet
 Sliding starboard side salon door of Diamond Seaglaze (or equivalent)
 Swing open aft salon door to cockpit
 Mooring cleat on port side of transom bustle
 Water fill
 Glendinning Cablemaster 50 amp shore power cable handling system

Engine Room and Lazarette

John Deere 6090 SFM75 (425hp) electronic engine with 24 V 140 amp alternator
 ZF 360 transmissions 2.5:1 ratio
 Northern Lights M844DW3G 16 kw/240/120V/60Hz generator with sound shield
 Victron MultiPlus 24/4000VA 120v output inverter chargers
 (8) AGM 8D batteries @ 255Ah ea for house batteries
 (4) AGM Group 31 batteries for engine start
 (2) AGM Group 27 batteries for generator start
 Engine room fire suppression system
 Drip pan under engine
 24 VDC Engine room intake and exhaust fans
 Engine room sound dampening of 3" on bulkheads, hull sides, and overhead
 Perforated aluminum covering
 Stainless steel safety rail around engine
 24VDC overhead LED lighting
 Aqua lift style mufflers with bypass and underwater exhaust
 Lift muffler for generator
 Flooring pads in work areas

Fuel System

Fuel tanks of flameproof FRP / baffles and inspection plates (450 gal ea)
 Parker "Blue" fuel lines
 Sight gauges for all tanks remotely mounted
 Dual Racor 75/900 Fuel filter system with pressure gauge
 Dual fills on starboard side
 Tank vents located high above main deck

Freshwater System

Two (2) water tanks of FRP, 150 gallons ea for a total of 300 gallons.
 Hot water tank - 20 gallon capacity (110v and/or engine heated)

STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	

Deck fill and vents
 PEX plumbing hose
 Headhunter X-Caliber 10 gpm, 24vdc pressure fresh water system
 Shoreside pressure regulated fresh water connection

STD	
STD	
STD	
STD	

Plumbing System

Black water tank - FRP (200 gal)
 Gray water tank - FRP (55 gal)
 Sanitary plumbing constructed of ABS Trident sanitary hose
 Macerator pump/discharge pump with separate deck discharge fitting

STD	
STD	
STD	
STD	

Climate Control Systems (choice of)

Olympia OL60B-24 Heating System Hydronic Hot Water system
 Cruiseair 50000 btu split reverse cycle A/C system

STD	
STD	

Control Systems

Seastar EPS 4000 Electric power steering
 Electronic engine and shift controls of ZF Mathers or equivalent
 Bow Thruster - ABT 10 hp, 24VDC or equivalent
 Wesmar Stabilizers

STD	
STD	
STD	
STD	

Mechanical

Dump chest and bronze thru hull fittings with bronze seacocks
 Bilge pumps - (3) of 2000 gph capacity Rule 2000 or equivalent
 All hoses double clamped below waterline

STD	
STD	
STD	

Pilothouse

Custom wood steering wheel - 30"
 3 x windshield wipers with washers (Exalto with Park Position)
 AC/DC electrical panels on either side of steering station
 Chain counter
 Overhead LED lights w/ red lights above dash w/ dimmer
 Overhead panel for electronics installation, wood faced
 Searchlight
 L-shaped settee with hi/low table that converts to berth
 Pilot berth behind settee
 Remote start/stop switch for main engine and generator
 Pilothouse windows to be tempered and/or safety glass with black fret border
 Reading lights behind settee
 (3) 110VAC duplex electrical outlets
 12VDC convenience outlet on dash for USB charging cell phones, etc.
 2 x Pompanette Platinum Series upholstered helm chairs w/stainless steel pedestal
 Dash panel of black solid surface material with glare screen wrapped in black vinyl
 (2) sliding windows on aft bulkhead
 Flooring - Amtico or equivalent

STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	

Galley

Solid surface countertops with backsplash, Corian or equivalent
 GE Profile Over-the-Range Microwave (30") w/ exhaust fan
 GE Profile 30" Induction Cooktop
 GE Bottom Freezer Refrigerator (30")

STD	
STD	
STD	
STD	

Trash compactor - Broan Elite w/ stainless face or wood matching cabinet veneers
 Stainless steel sink with large single basin
 Grohe sink fixture with removable spray head
 Pantry of hardwood, full height pull out adjacent to refrigerator
 Drawers and overhead cabinets
 Overhead cabinets between salon and galley
 Large opening window with window treatment
 (3) 110VAC duplex outlets, GFI
 Y valve for overboard discharge of galley sink gray water
 Flooring – Amtico or equivalent

STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	

Saloon

Built-in L-shaped settee to port with storage under
 Yacht table - hardwood with select veneers for top, fixed height
 (4) 110VAC duplex electrical outlets
 Entertainment cabinet
 Samsung 40" LED TV on lift
 Wall mounted sconce style lights of 24 VDC
 Saloon windows tinted with hardwood trim rings and rounded corners
 Overhead valance with room to accommodate shades
 Bamboo style drop shades
 Owner supplied furniture for space on starboard side
 Flooring - carpet with Soundown carpet pad under

STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	

Master Stateroom

Queen sized berth with 8" spring mattress and drawer storage below
 Portlights (2) port side
 Cedar lined hanging lockers with automatic lighting
 Headboard with designer appointments including mirror and wood trim
 (3) 110VAC duplex outlets
 Flooring - Carpeting with pad under
 Wall treatments with foam backing
 (2) bulkhead mounted reading lamps
 Built-in seat with storage under

STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	

Master Head

Portlight
 FRP shower stall with saloon style glass doors
 Grohe fixtures for sink and shower (removable wand type shower head)
 Mirrors, (1) large mounted over toilet and (1) shaving mirror adjacent to sink
 Exhaust fan – 110VAC
 Toilet - Tecma
 Towel and toilet paper holders
 Flooring - Amtico or equivalent
 Mirrors, (1) large mounted over toilet and (1) shaving mirror adjacent to sink
 110VAC duplex electrical outlet, GFI

STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	

VIP Stateroom

Queen sized berth with 8" spring mattress and drawer storage below
 Portlights (2) port side, (2) starboard side
 Reading lamps (2), one at each berth

STD	
STD	
STD	

Cedar lined hanging lockers with automatic lighting
 (3) 110VAC duplex electrical outlet
 Side cabinets on either side of berth
 Forward bulkhead with designer appointments including mirror and wood trim
 Flooring - Carpeting with pad under
 Over/under bunks or desk (optional)
 Reading lamps (2), one at each berth
 Cedar lined hanging lockers with automatic lighting
 (3) 110VAC duplex electrical outlet
 Flooring - Carpeting with pad under

STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	

VIP Head

Solid surface counter top of Corian or equivalent
 Portlight
 FRP shower stall with saloon style glass doors
 Toilet - Tecma
 110VAC duplex electrical outlet, GFI
 Grohe fixtures for sink and shower (removable wand type shower head)
 Exhaust fan, 110VAC
 Cabinet below sink
 Mirror
 Towel and toilet paper holders
 Flooring - Amtico or equivalent

STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	

General Interior Features

Hand selected hardwood and veneers
 Soft wall coverings, foam backed
 Hardwood raised panel interior passage doors with blended arched tops
 Locking latches on interior cabinetry - push/pull positive Southco or equivalent
 Interior cabinetry drawers with side mount, full extension, ball bearing drawer guides
 Interior cabinetry doors use fully adjustable Euro style hinges
 Cabinets to have pre-finished interiors for easy cleaning and furniture grade quality
 Interior hand rails (stainless steel or hardwood) on stairways
 Hand rails (hardwood) on overhead in saloon, pilothouse and master stateroom
 Hand rails (hardwood) on either side of steering station integral to counter trim
 Overhead lights-LED
 Stacked GE Profile washer/dryer or equivalent
 All headliners of acoustic soft, foam backed vinyl in eggshell or white panels
 All electrical switches and outlets are Vimar
 Dimmer switches in salon, galley, pilothouse and master stateroom
 Windows tinted (exception, 3 forward facing pilothouse windows)
 Window treatments - designer blinds in saloon and galley
 Storage areas with carpet lined bottoms and sides

STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	
STD	

Options (partial list)

Engine size upgrade (John Deere 6135)
 Twin Engine option (Volvo D4 - 320hp ea)
 5 Blade propeller upgrade
 Stern thruster (24 VDC)
 ABT hydraulic thruster (bow and stern) and stabilizer system
 Maxwell hydraulic windlass

All chain anchor rode in lieu of 200' chain and 200' rope
Seatorque Boss shaft system
Caprail of selected color
Appliance upgrades
Kevlar layers (2) chime to chime) fwd section of hull/bow (3)
Ceiling Mount Flip-down TV
ESI fuel polishing system
GARMIN navigation system
Sun-Touch Heated Floors
Starboard aft docking station

-- End of Specifications --

These preliminary specifications have been prepared to cover equipment and materials as accurately as possible.

Specifications are continually under review and subject to change without notice.

-- All Rights Reserved --

This information and all associated materials and their content may not be copied, duplicated, distributed, or used without prior permission.