



## Revised: 29-Jul-26

Model Year: 2027

| Imperial | Metric |
|----------|--------|
| 48.8     | 14.87  |
| 44.6     | 13.59  |
| 16.17    | 4.93   |
| 5        | 1.52   |
| 47000    | 21319  |
| 1000     | 3785   |
| 300      | 1136   |
| 200      | 757    |
| 55       | 208    |
| 19.3     | 5.88   |

- Length Overall  
Length at Waterline  
Beam  
Draft  
Displacement (Light Ship)  
Fuel Capacity  
Water Capacity  
Holding Tank Capacity  
Gray water  
Bridge Clearance (With optional upper mast folded)

Hull and deck of vacuum bagged composite construction  
Kevlar layers (2) chime to chime) fwd section of hull/bow (3)  
Hull color - Ferro gelcoat, white  
Superstructure - Ferro gelcoat, white  
Signature Breast Plate of 2" Stainless  
Scuppers on aft, starboard side, foredeck to common drain lines  
Watertight bulkheads (3)  
Floors, decks and major bulkheads of composite construction and laminated to hull  
Hull reinforced for stabilizers  
Four (4) layers of vinyl ester resins used to minimize chance of blisters  
Black anti-fouling paint x 2 / Epoxy barrier x 3  
Painted boot stripe  
Cap rails of composite material  
Rub rails - integral to hull with solid stainless half round strakes (2)  
Overhead LED deck lighting (24vdc) on exterior walk and outside pilothouse  
Exterior doors - Pantograph in Pilothouse, Diamond Seaglaze for Salon  
Equipment manuals include wiring and piping diagrams  
All opening portlights to be stainless with screens Manship or equivalent

| STANDARD | OPT |
|----------|-----|
| STD      |     |
| STD      |     |
| STD      |     |
| STD      |     |
| STD      |     |
| STD      |     |
| STD      |     |
| STD      |     |
| STD      |     |
| STD      |     |
| STD      |     |
| STD      |     |
| STD      |     |
| STD      |     |
| STD      |     |
| STD      |     |
| STD      |     |
| STD      |     |
| STD      |     |
|          |     |
|          |     |
| STD      |     |
| STD      |     |
| STD      |     |
| STD      |     |

Portuguese bridge includes storage locker and 110VAC GFI outlet  
Flybridge area over pilothouse with steering and engine controls  
Deck rails of 1.5" stainless steel with 1" stanchions on boat deck and foredeck  
Deck rails of stainless steel with stanchions around Portuguese bridge

Radar Arch - FRP with provisions for electronic antennas  
 Steelhead Davit ES1000lb capacity  
 Dual chrome trumpet air horn  
 Aqua Signal series 45 International navigation lights  
 Molded anchor shelf for stainless steel frame and bow roller  
 Freshwater wash down on foredeck  
 Opening hatch over forward stateroom berth - Lewmar Ocean Series 60 or equal  
 Maxwell RC2500 vertical windlass with up/down switch at bow and pilothouse  
 Anchor - Rocna 88 lb.  
 200' of 3/8" HT galvanized chain with 200' of 5/8" anchor rode  
 Molded seat in center of Portuguese bridge with cushion

#### Aft Cockpit, Side Deck, and Swim Step

Hinged lazarette hatch with gas shock  
 Transom and side gate with hinge and latch assemblies  
 Aft cockpit cabinet with solid surface counter top, stainless sink  
 110 volt GFI duplex outlet  
 Sliding starboard side salon door of Diamond Seaglaze (or equivalent)  
 Swing open aft salon door to cockpit  
 Mooring cleat on port side of transom bustle  
 Water fill  
 Glendinning Cablemaster 50 amp shore power cable handling system

#### Engine Room and Lazarette

(2) Cummins QSB6.7 @ 480hp ea.  
 ZF85A transmissions 2.5:1 ratio  
 Northern Lights M844DW3G 16 kw/240/120V/60Hz generator with sound shield  
 Victron MultiPlus 24/4000VA 120v output inverter chargers  
 (8) AGM 8D batteries @ 255Ah ea for house batteries  
 (4) AGM Group 31 batteries for engine start  
 (2) AGM Group 27 batteries for generator start  
 Engine room fire suppression system  
 Drip pan under engine  
 24 VDC Engine room intake and exhaust fans  
 Engine room sound dampening of 3" on bulkheads, hull sides, and overhead  
 Perforated aluminum covering  
 Stainless steel safety rail around engine  
 24VDC overhead LED lighting  
 Aqua lift style mufflers with bypass and underwater exhaust  
 Lift muffler for generator  
 Flooring pads in work areas

#### Fuel System

Fuel tanks of flameproof FRP / baffles and inspection plates (500 gal ea)  
 Parker "Blue" fuel lines  
 Sight gauges for all tanks remotely mounted  
 Dual Racor 75/900 Fuel filter system with pressure gauge  
 Dual fills on starboard side  
 Tank vents located high above main deck

#### Freshwater System

|     |  |
|-----|--|
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
|     |  |
|     |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
|     |  |
|     |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
|     |  |
|     |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
|     |  |
|     |  |

Two (2) water tanks of FRP, 150 gallons ea for a total of 300 gallons.  
 Hot water tank - 20 gallon capacity (110v and/or engine heated)  
 Deck fill and vents  
 PEX plumbing hose  
 Headhunter X-Caliber 10 gpm, 24vdc pressure fresh water system  
 Shoreside pressure regulated fresh water connection

|     |  |
|-----|--|
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |

### Plumbing System

Black water tank - FRP (200 gal)  
 Gray water tank - FRP (55 gal)  
 Sanitary plumbing constructed of ABS Trident sanitary hose  
 Macerator pump/discharge pump with separate deck discharge fitting

|     |  |
|-----|--|
|     |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |

### Climate Control Systems (choice of)

Olympia OL60B-24 Heating System Hydronic Hot Water system  
 Cruiseair 50000 btu split reverse cycle A/C system

|     |  |
|-----|--|
|     |  |
| STD |  |
| STD |  |

### Control Systems

Seastar EPS 4000 Electric power steering  
 Electronic engine and shift controls of ZF Mathers or equivalent  
 Bow Thruster - ABT 10 hp, 24VDC or equivalent  
 Wesmar Stabilizers

|     |  |
|-----|--|
|     |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |

### Mechanical

Dump chest and bronze thru hull fittings with bronze seacocks  
 Bilge pumps - (3) of 2000 gph capacity Rule 2000 or equivalent  
 All hoses double clamped below waterline

|     |  |
|-----|--|
|     |  |
| STD |  |
| STD |  |
| STD |  |

### Pilothouse

Custom wood steering wheel - 30"  
 3 x windshield wipers with washers (Exalto with Park Position)  
 AC/DC electrical panels on either side of steering station  
 Chain counter  
 Overhead LED lights w/ red lights above dash w/ dimmer  
 Overhead panel for electronics installation, wood faced  
 Searchlight  
 L-shaped settee with hi/low table that converts to berth  
 Pilot berth behind settee  
 Remote start/stop switch for main engine and generator  
 Pilothouse windows to be tempered and/or safety glass with black fret border  
 Reading lights behind settee  
 (3) 110VAC duplex electrical outlets  
 12VDC convenience outlet on dash for USB charging cell phones, etc.  
 2 x Pompanette Platinum Series upholstered helm chairs w/stainless steel pedestal  
 Dash panel of black solid surface material with glare screen wrapped in black vinyl  
 (2) sliding windows on aft bulkhead  
 Flooring - Amtico or equivalent

|     |  |
|-----|--|
|     |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |

### Galley

Solid surface countertops with backsplash, Corian or equivalent  
 GE Profile Over-the-Range Microwave (30") w/ exhaust fan

|     |  |
|-----|--|
|     |  |
| STD |  |
| STD |  |

GE Profile 30" Induction Cooktop  
 GE Bottom Freezer Refrigerator (30")  
 Trash compactor - Broan Elite w/ stainless face or wood matching cabinet veneers  
 Stainless steel sink with large single basin  
 Grohe sink fixture with removable spray head  
 Pantry of hardwood, full height pull out adjacent to refrigerator  
 Drawers and overhead cabinets  
 Overhead cabinets between salon and galley  
 Large opening window with window treatment  
 (3) 110VAC duplex outlets, GFI  
 Y valve for overboard discharge of galley sink gray water  
 Flooring – Amtico or equivalent

|     |  |
|-----|--|
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |

### Saloon

Built-in L-shaped settee to port with storage under  
 Yacht table - hardwood with select veneers for top, fixed height  
 (4) 110VAC duplex electrical outlets  
 Entertainment cabinet  
 Samsung 40" LED TV on lift  
 Wall mounted sconce style lights of 24 VDC  
 Saloon windows tinted with hardwood trim rings and rounded corners  
 Overhead valance with room to accommodate shades  
 Bamboo style drop shades  
 Owner supplied furniture for space on starboard side  
 Flooring - carpet with Soundown carpet pad under

|     |  |
|-----|--|
|     |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |

### Master Stateroom

Queen sized berth with 8" spring mattress and drawer storage below  
 Portlights (2) port side  
 Cedar lined hanging lockers with automatic lighting  
 Headboard with designer appointments including mirror and wood trim  
 (3) 110VAC duplex outlets  
 Flooring - Carpeting with pad under  
 Wall treatments with foam backing  
 (2) bulkhead mounted reading lamps  
 Built-in seat with storage under

|     |  |
|-----|--|
|     |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |

### Master Head

Portlight  
 FRP shower stall with saloon style glass doors  
 Grohe fixtures for sink and shower (removable wand type shower head)  
 Mirrors, (1) large mounted over toilet and (1) shaving mirror adjacent to sink  
 Exhaust fan – 110VAC  
 Toilet - Tecma  
 Towel and toilet paper holders  
 Flooring - Amtico or equivalent  
 Mirrors, (1) large mounted over toilet and (1) shaving mirror adjacent to sink  
 110VAC duplex electrical outlet, GFI

|     |  |
|-----|--|
|     |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |

### VIP Stateroom

Queen sized berth with 8" spring mattress and drawer storage below

|     |  |
|-----|--|
|     |  |
| STD |  |

Portlights (2) port side, (2) starboard side  
 Reading lamps (2), one at each berth  
 Cedar lined hanging lockers with automatic lighting  
 (3) 110VAC duplex electrical outlet  
 Side cabinets on either side of berth  
 Forward bulkhead with designer appointments including mirror and wood trim  
 Flooring - Carpeting with pad under  
 Over/under bunks or desk (optional)  
 Reading lamps (2), one at each berth  
 Cedar lined hanging lockers with automatic lighting  
 (3) 110VAC duplex electrical outlet  
 Flooring - Carpeting with pad under

|     |  |
|-----|--|
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |

#### VIP Head

Solid surface counter top of Corian or equivalent  
 Portlight  
 FRP shower stall with saloon style glass doors  
 Toilet - Tecma  
 110VAC duplex electrical outlet, GFI  
 Grohe fixtures for sink and shower (removable wand type shower head)  
 Exhaust fan, 110VAC  
 Cabinet below sink  
 Mirror  
 Towel and toilet paper holders  
 Flooring - Amtico or equivalent

|     |  |
|-----|--|
|     |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |

#### General Interior Features

Hand selected hardwood and veneers  
 Soft wall coverings, foam backed  
 Hardwood raised panel interior passage doors with blended arched tops  
 Locking latches on interior cabinetry - push/pull positive Southco or equivalent  
 Interior cabinetry drawers with side mount, full extension, ball bearing drawer guides  
 Interior cabinetry doors use fully adjustable Euro style hinges  
 Cabinets to have pre-finished interiors for easy cleaning and furniture grade quality  
 Interior hand rails (stainless steel or hardwood) on stairways  
 Hand rails (hardwood) on overhead in saloon, pilothouse and master stateroom  
 Hand rails (hardwood) on either side of steering station integral to counter trim  
 Overhead lights-LED  
 Stacked GE Profile washer/dryer or equivalent  
 All headliners of acoustic soft, foam backed vinyl in eggshell or white panels  
 All electrical switches and outlets are Vimar  
 Dimmer switches in salon, galley, pilothouse and master stateroom  
 Windows tinted (exception, 3 forward facing pilothouse windows)  
 Window treatments - designer blinds in saloon and galley  
 Storage areas with carpet lined bottoms and sides

|     |  |
|-----|--|
|     |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |
| STD |  |

#### Options (partial list)

Engine size upgrade (Cummins QSB6.7 @ 550hp ea)  
 5 Blade propeller upgrade  
 Stern thruster (24 VDC)  
 All chain anchor rode in lieu of 200' chain and 200' rope

|  |  |
|--|--|
|  |  |
|  |  |
|  |  |
|  |  |

Appliance upgrades  
Ceiling Mount Flip-down TV  
ESI fuel polishing system  
GARMIN navigation system  
Sun-Touch Heated Floors  
Starboard aft docking station

|  |  |
|--|--|
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |

**-- End of Specifications --**

**These preliminary specifications have been prepared to cover equipment and materials as accurately as possible.**

**Specifications are continually under review and subject to change without notice.**

**-- All Rights Reserved --**

**This information and all associated materials and their content may not be copied, duplicated,  
distributed, or used without prior permission.**