

Northwest 48 - Two Staterooms

Revised: 29-Jul-26

Model Year: 2027

Specifications and Standard Equipment List	US	Metric
Length Overall	50.0	15.24
Length at Waterline	44.6	13.59
Beam	16.17	4.93
Draft	5	1.52
Displacement (Light Ship)	47000	21319
Fuel Capacity	1000	3785
Water Capacity	300	1136
Holding Tank Capacity	200	757
Gray water	55	208
Bridge Clearance (With optional upper mast folded)	19.3	5.88

Hull and Superstructure	STANDARD	OPT
Hull and deck of vacuum bagged composite construction	STD	
Kevlar layers (2) chine to chine) fwd section of hull/bow (3)	STD	
Hull color - Ferro gelcoat, white	STD	
Superstructure - Ferro gelcoat, white	STD	
Signature Breast Plate of 2" Stainless	STD	
Scuppers on aft, starboard side, foredeck to common drain lines	STD	
Watertight bulkheads (3)	STD	
Floors, decks and major bulkheads of composite construction and laminated to hull	STD	
Hull reinforced for stabilizers	STD	
Four (4) layers of vinyl ester resins used to minimize chance of blisters	STD	
Black anti-fouling paint x 2 / Epoxy barrier x 3	STD	
Painted boot stripe	STD	
Cap rails of composite material	STD	
Rub rails - integral to hull with solid stainless half round strakes (2)	STD	
Overhead LED deck lighting (24vdc) on exterior walk and outside pilothouse	STD	
Exterior doors - Pantograph in Pilothouse, Diamond Seaglaze for Salon	STD	
Equipment manuals include wiring and piping diagrams	STD	
All opening portlights to be stainless with screens Manship or equivalent	STD	
Boat Deck, Flybridge, Portuguese Bridge, and Foredeck		
Portuguese bridge includes storage locker and 110VAC GFI outlet	STD	
Flybridge area over pilothouse with steering and engine controls	STD	
Deck rails of 1.5" stainless steel with 1" stanchions on boat deck and foredeck	STD	
Deck rails of stainless steel with stanchions around Portuguese bridge	STD	

Radar Arch - FRP with provisions for electronic antennas	STD	
Steelhead Davit ES1000lb capacity	STD	
Dual chrome trumpet air horn	STD	
Aqua Signal series 45 International navigation lights	STD	
Molded anchor shelf for stainless steel frame and bow roller	STD	
Freshwater wash down on foredeck	STD	
Opening hatch over forward stateroom berth - Lewmar Ocean Series 60 or equal	STD	
Maxwell RC2500 vertical windlass with up/down switch at bow and pilothouse	STD	
Anchor - Rocna 88 lb.	STD	
200' of 3/8" HT galvanized chain with 200' of 5/8" anchor rode	STD	
Molded seat in center of Portuguese bridge with cushion	STD	
Aft Cockpit, Side Deck, and Swim Step		
Hinged lazarette hatch with gas shock	STD	
Transom and side gate with hinge and latch assemblies	STD	
Aft cockpit cabinet with solid surface counter top, stainless sink	STD	
110 volt GFI duplex outlet	STD	
Sliding starboard side salon door of Diamond Seaglaze (or equivalent)	STD	
Swing open aft salon door to cockpit	STD	
Mooring cleat on port side of transom bustle	STD	
Water fill	STD	
Glendinning Cablemaster 50 amp shore power cable handling system	STD	
Engine Room and Lazarette		
(2) Cummins QSB6.7 @ 480hp ea.	STD	
ZF85A transmissions 2.5:1 ratio	STD	
Northern Lights M844DW3G 16 kw/240/120V/60Hz generator with sound shield	STD	
Victron MultiPlus 24/4000VA 120v output inverter chargers	STD	
(8) AGM 8D batteries @ 255Ah ea for house batteries	STD	
(4) AGM Group 31 batteries for engine start	STD	
(2) AGM Group 27 batteries for generator start	STD	
Engine room fire suppression system	STD	
Drip pan under engine	STD	
24 VDC Engine room intake and exhaust fans	STD	
Engine room sound dampening of 3" on bulkheads, hull sides, and overhead	STD	
Perforated aluminum covering	STD	
Stainless steel safety rail around engine	STD	
24VDC overhead LED lighting	STD	
Aqua lift style mufflers with bypass and underwater exhaust	STD	
Lift muffler for generator	STD	
Flooring pads in work areas	STD	
Fuel System		
Fuel tanks of flameproof FRP / baffles and inspection plates (500 gal ea)	STD	
Parker "Blue" fuel lines	STD	
Sight gauges for all tanks remotely mounted	STD	
Dual Racor 75/900 Fuel filter system with pressure gauge	STD	
Dual fills on starboard side	STD	
Tank vents located high above main deck	STD	
Freshwater System		

Two (2) water tanks of FRP, 150 gallons ea for a total of 300 gallons.	STD	
Hot water tank - 20 gallon capacity (110v and/or engine heated)	STD	
Deck fill and vents	STD	
PEX plumbing hose	STD	
Headhunter X-Caliber 10 gpm, 24vdc pressure fresh water system	STD	
Shoreside pressure regulated fresh water connection	STD	
Plumbing System		
Black water tank - FRP (200 gal)	STD	
Gray water tank - FRP (55 gal)	STD	
Sanitary plumbing constructed of ABS Trident sanitary hose	STD	
Macerator pump/discharge pump with separate deck discharge fitting	STD	
Climate Control Systems (choice of)		
Olympia OL60B-24 Heating System Hydronic Hot Water system	STD	
Cruiseair 50000 btu split reverse cycle A/C system	STD	
Control Systems		
Seastar EPS 4000 Electric power steering	STD	
Electronic engine and shift controls of ZF Mathers or equivalent	STD	
Bow Thruster - ABT 10 hp, 24VDC or equivalent	STD	
Wesmar Stabilizers	STD	
Mechanical		
Dump chest and bronze thru hull fittings with bronze seacocks	STD	
Bilge pumps - (3) of 2000 gph capacity Rule 2000 or equivalent	STD	
All hoses double clamped below waterline	STD	
Pilothouse		
Custom wood steering wheel - 30"	STD	
3 x windshield wipers with washers (Exalto with Park Position)	STD	
AC/DC electrical panels on either side of steering station	STD	
Chain counter	STD	
Overhead LED lights w/ red lights above dash w/ dimmer	STD	
Overhead panel for electronics installation, wood faced	STD	
Searchlight	STD	
L-shaped settee with hi/low table that converts to berth	STD	
Pilot berth behind settee	STD	
Remote start/stop switch for main engine and generator	STD	
Pilothouse windows to be tempered and/or safety glass with black fret border	STD	
Reading lights behind settee	STD	
(3) 110VAC duplex electrical outlets	STD	
12VDC convenience outlet on dash for USB charging cell phones, etc.	STD	
2 x Pompanette Platinum Series upholstered helm chairs w/stainless steel pedestal	STD	
Dash panel of black solid surface material with glare screen wrapped in black vinyl	STD	
(2) sliding windows on aft bulkhead	STD	
Flooring - Amtico or equivalent	STD	
Galley		
Solid surface countertops with backsplash, Corian or equivalent	STD	
GE Profile Over-the-Range Microwave (30") w/ exhaust fan	STD	

GE Profile 30" Induction Cooktop	STD	
GE Bottom Freezer Refrigerator (30")	STD	
Trash compactor - Broan Elite w/ stainless face or wood matching cabinet veneers	STD	
Stainless steel sink with large single basin	STD	
Grohe sink fixture with removable spray head	STD	
Pantry of hardwood, full height pull out adjacent to refrigerator	STD	
Drawers and overhead cabinets	STD	
Overhead cabinets between salon and galley	STD	
Large opening window with window treatment	STD	
(3) 110VAC duplex outlets, GFI	STD	
Y valve for overboard discharge of galley sink gray water	STD	
Flooring – Amtico or equivalent	STD	
Saloon		
Built-in L-shaped settee to port with storage under	STD	
Yacht table - hardwood with select veneers for top, fixed height	STD	
(4) 110VAC duplex electrical outlets	STD	
Entertainment cabinet	STD	
Samsung 40" LED TV on lift	STD	
Wall mounted sconce style lights of 24 VDC	STD	
Saloon windows tinted with hardwood trim rings and rounded corners	STD	
Overhead valance with room to accommodate shades	STD	
Bamboo style drop shades	STD	
Owner supplied furniture for space on starboard side	STD	
Flooring - carpet with Soundown carpet pad under	STD	
M**aster Stateroom**		
Queen sized berth with 8" spring mattress and drawer storage below	STD	
Portlights (2) port side	STD	
Cedar lined hanging lockers with automatic lighting	STD	
Headboard with designer appointments including mirror and wood trim	STD	
(3) 110VAC duplex outlets	STD	
Flooring - Carpeting with pad under	STD	
Wall treatments with foam backing	STD	
(2) bulkhead mounted reading lamps	STD	
Built-in seat with storage under	STD	
Master Head		
Portlight	STD	
FRP shower stall with saloon style glass doors	STD	
Grohe fixtures for sink and shower (removable wand type shower head)	STD	
Mirrors, (1) large mounted over toilet and (1) shaving mirror adjacent to sink	STD	
Exhaust fan – 110VAC	STD	
Toilet - Tecma	STD	
Towel and toilet paper holders	STD	
Flooring - Amtico or equivalent	STD	
Mirrors, (1) large mounted over toilet and (1) shaving mirror adjacent to sink	STD	
110VAC duplex electrical outlet, GFI	STD	
VIP Stateroom		
Queen sized berth with 8" spring mattress and drawer storage below	STD	

Portlights (2) port side, (2) starboard side	STD	
Reading lamps (2), one at each berth	STD	
Cedar lined hanging lockers with automatic lighting	STD	
(3) 110VAC duplex electrical outlet	STD	
Side cabinets on either side of berth	STD	
Forward bulkhead with designer appointments including mirror and wood trim	STD	
Flooring - Carpeting with pad under	STD	
Over/under bunks or desk (optional)	STD	
Reading lamps (2), one at each berth	STD	
Cedar lined hanging lockers with automatic lighting	STD	
(3) 110VAC duplex electrical outlet	STD	
Flooring - Carpeting with pad under	STD	

VIP Head		
Solid surface counter top of Corian or equivalent	STD	
Portlight	STD	
FRP shower stall with saloon style glass doors	STD	
Toilet - Tecma	STD	
110VAC duplex electrical outlet, GFI	STD	
Grohe fixtures for sink and shower (removable wand type shower head)	STD	
Exhaust fan, 110VAC	STD	
Cabinet below sink	STD	
Mirror	STD	
Towel and toilet paper holders	STD	
Flooring - Amtico or equivalent	STD	

General Interior Features		
Hand selected hardwood and veneers	STD	
Soft wall coverings, foam backed	STD	
Hardwood raised panel interior passage doors with blended arched tops	STD	
Locking latches on interior cabinetry - push/pull positive Southco or equivalent	STD	
Interior cabinetry drawers with side mount, full extension, ball bearing drawer guides	STD	
Interior cabinetry doors use fully adjustable Euro style hinges	STD	
Cabinets to have pre-finished interiors for easy cleaning and furniture grade quality	STD	
Interior hand rails (stainless steel or hardwood) on stairways	STD	
Hand rails (hardwood) on overhead in saloon, pilothouse and master stateroom	STD	
Hand rails (hardwood) on either side of steering station integral to counter trim	STD	
Overhead lights-LED	STD	
Stacked GE Profile washer/dryer or equivalent	STD	
All headliners of acoustic soft, foam backed vinyl in eggshell or white panels	STD	
All electrical switches and outlets are Vimar	STD	
Dimmer switches in salon, galley, pilothouse and master stateroom	STD	
Windows tinted (exception, 3 forward facing pilothouse windows)	STD	
Window treatments - designer blinds in saloon and galley	STD	
Storage areas with carpet lined bottoms and sides	STD	

Options (partial list)

Engine size upgrade (Cummins QSB6.7 @ 550hp ea)		
5 Blade propeller upgrade		
Stern thruster (24 VDC)		
All chain anchor rode in lieu of 200' chain and 200' rope		

Appliance upgrades
Ceiling Mount Flip-down TV
ESI fuel polishing system
GARMIN navigation system
Sun-Touch Heated Floors
Starboard aft docking ststion

-- End of Specifications --

These preliminary specifications have been prepared to cover equipment and materials as accurately as possible. Specifications are continually under review and subject to change without notice.

-- All Rights Reserved --

This information and all associated materials and their content may not be copied, duplicated, distributed, or used without prior permission.